

# Product datasheet for MR204986L4V

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **Ubiad1 (NM\_027873) Mouse Tagged ORF Clone Lentiviral Particle**

#### **Product data:**

Product Type: Lentiviral Particles

**Product Name:** Ubiad1 (NM\_027873) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Ubiad1

**Synonyms:** 1200002M06Rik; Al426463; AW320947; Tere1

**Mammalian Cell** 

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_027873 **ORF Size:** 1011 bp

**ORF Nucleotide** 

1011.55

Sequence:

The ORF insert of this clone is exactly the same as(MR204986).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 027873.2, NP 082149.1

 RefSeq Size:
 2970 bp

 RefSeq ORF:
 1011 bp

 Locus ID:
 71707

 UniProt ID:
 Q9DC60

Cytogenetics: 4 E2







#### **Gene Summary:**

Prenyltransferase that mediates the formation of menaquinone-4 (MK-4) and coenzyme Q10. MK-4 is a vitamin K2 isoform required for endothelial cell development. Mediates the conversion of phylloquinone (PK) into MK-4, probably by cleaving the side chain of phylloquinone (PK) to release 2-methyl-1,4-naphthoquinone (menadione; K3) and then prenylating it with geranylgeranyl pyrophosphate (GGPP) to form MK-4. Also plays a role in cardiovascular development independently of MK-4 biosynthesis, by acting as a coenzyme Q10 biosynthetic enzyme: coenzyme Q10, also named ubiquinone, plays an important antioxidant role in the cardiovascular system. Mediates biosynthesis of coenzyme Q10 in the Golgi membrane, leading to protect cardiovascular tissues from NOS3/eNOS-dependent oxidative stress (By similarity).[UniProtKB/Swiss-Prot Function]