

## Product datasheet for **MR205142**

### **Habp4 (BC082806) Mouse Tagged ORF Clone**

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Habp4 (BC082806) Mouse Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** Habp4  
**Synonyms:** 4933413D03Rik; 4933428J01Rik  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**ORF Nucleotide Sequence:** >MR205142 representing BC082806  
**Red**=Cloning site **Blue**=ORF **Green**=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGGATCGCC**

ATGAAGGGGGCCCTGGGGAGCCCTGTAGCCGCCGGGGCGCCGCGATGCAGGAGACGTTCCGGCTGCGTCCG  
TGGCCAACCGCTTCCATCAGCTGCTGGACGACGAGTCGGACCCGTTTCGACATCCTGCGGGAGGCCGAGCA  
CCGGCGCCAGCAGCAGCTGCAGCGCAAGCGTCGCGATGAGGCGGGCGGGCGGCCAGCGGGCCGGGCAC  
CGTGGCGGCAGGAGCCCGCTGTGGCCTCAGGACACAGGCCTGGCGCAGGCGGCCGAGGGAGTCGCAGA  
AGGAGCGCAAGAGCCTCGCGGCTCCGGCGCACAGCAGCCAGACAGCCCTGGGGGCCCGCAGCCGCCAGG  
CCAGAAGCGGACTCCTCGAAGAGGGGAGCAGCAAGGATGGAATGACAACAGGGGGACAGACGTGGTGCTT  
GAAAGAGCAGAGCGAAGGTCCTACAGGGAATACCGGCCCTATGAGACTGAGAGACAGGCTGACTTGCCAG  
TGGAGAAGTTTACCGATGAAAAACCAAGTTGACAGGTTTGTATCGAGACAGACCACTGAGAGGACGTGGAGG  
CCCCAGAGGAGGCTGAGGAGCAGAGGCCGAGGCGGTCTGGGAACAGAGCTTTTGACTCCTTTGACCAA  
AGAGGGAAACGAGACTTTGAGAGATACAGTAGCAATGATAAAACAACAGAATGGAGGACAGCATGGGTG  
GCTGTGGCATTGCCCCCTGGGGATCAGGTAAGACACTAGTGATACAGAGCCACCTGCACCCATGGAAGA  
GACCTCGATGATGGAGGAGTGCCAGGGCCCTGGACGAGGAGTCTGCAGCCAAAGTTCTTGAGTTGGAG  
GTAGAAGAGGAAAACCAAGTCCAAGAGATGACCTTAGATGAGTGAAAAACCTTCAAGAACAACAGAC  
CAAAGCCTGAGTTCAATATTCGGAAGCCAGAGTCCACAGTTCTTCCAAGGCAGTGGTGATTCACAAGTC  
CAGATACAGAGACGATGTAAGCTTGCTCAGGGGAATCTGTACTGT

**ACGGT**ACGGGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >MR205142 representing BC082806  
 Red=Cloning site Green=Tags(s)

MKGALGSPVAAAGAAMQETFGCVVANRFHQLLDDESPFDILREAEHRRQQQLQRKRDEAAAAASGAGH  
 RGGSPAVASGHRPGAGGRRESQKERKSLAASGAQQPDSPPGQPQPKRTPRRGEQQGWNDNRGTDVVL  
 ERAERRSYREYRPYETERQADLPVEKFTDEKPVDRFDRDRPLRGRGGPRGGLRSRGRGGPGNRAFDSFDQ  
 RGKRDFERYSSNDKTNRMEDSMGGCIRPWGSGKDTSDTEPPAPMEETSMMEECCQALDEESAALKVPELE  
 VEEENQVQEMTLDEWKNLQEQTRPKPEFNIRKPESTVPSKAVVIHKSRYRDDVLSLQGNLYC


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**Plasmid Map:**



**ACCN:** BC082806

**ORF Size:** 1026 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">BC082806</a>
<b>RefSeq Size:</b>	4884 bp
<b>RefSeq ORF:</b>	1028 bp
<b>Locus ID:</b>	56541
<b>Cytogenetics:</b>	13 33.26 cM
<b>MW:</b>	179.1 kDa
<b>Gene Summary:</b>	RNA-binding protein that plays a role in the regulation of transcription, pre-mRNA splicing and mRNA translation. Negatively regulates DNA-binding activity of the transcription factor MEF2C in myocardial cells in response to mechanical stress. Plays a role in pre-mRNA splicing regulation. Binds (via C-terminus) to poly(U) RNA. Involved in mRNA translation regulation, probably at the initiation step. Seems to play a role in PML-nuclear bodies formation (By similarity).[UniProtKB/Swiss-Prot Function]