

Product datasheet for MR205507L4

Stac3 (NM_177707) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Stac3 (NM_177707) Mouse Tagged Lenti ORF Clone

Tag: mGFP Symbol: Stac3

Synonyms: 9830125E18

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR205507).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_177707

ORF Size: 1080 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 177707.3</u>

 RefSeq Size:
 1790 bp

 RefSeq ORF:
 1083 bp

 Locus ID:
 237611

 UniProt ID:
 Q8BZ71


 Cytogenetics:
 10 D3

Gene Summary:

Required for normal excitation-contraction coupling in skeletal muscle and for normal muscle contraction in response to membrane depolarization (PubMed:23818578, PubMed:27621462, PubMed:29467163). Required for normal Ca(2+) release from the sarcplasmic reticulum, which ultimately leads to muscle contraction (PubMed:23818578). Probably functions via its effects on muscle calcium channels. Increases CACNA1S channel activity, in addition to its role in enhancing the expression of CACNA1S at the cell membrane (PubMed:27621462). Has a redundant role in promoting the expression of the calcium channel CACNA1S at the cell membrane (PubMed:25548159, PubMed:27621462, PubMed:29467163). Slows down the inactivation rate of the calcium channel CACNA1C (PubMed:25548159, PubMed:29363593). [UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR205507L4