

## Product datasheet for **MR205715L2V**

### **Ppid (NM\_026352) Mouse Tagged ORF Clone Lentiviral Particle**

#### **Product data:**


Product Type:	Lentiviral Particles
Product Name:	Ppid (NM_026352) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Ppid
Synonyms:	4930564J03Rik; CYP-40; Ppidl; Ppif
Mammalian Cell Selection:	None
Vector:	pLenti-C-mGFP (PS100071)
Tag:	mGFP
ACCN:	NM_026352
ORF Size:	1110 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR205715).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<a href="#">NM_026352.3</a>
RefSeq Size:	1728 bp
RefSeq ORF:	1113 bp
Locus ID:	67738
UniProt ID:	<a href="#">Q9CR16</a>
Cytogenetics:	3 E3



[View online »](#)

**Gene Summary:**

PPIase that catalyzes the cis-trans isomerization of proline imidic peptide bonds in oligopeptides and may therefore assist protein folding. Proposed to act as a co-chaperone in HSP90 complexes such as in unligated steroid receptors heterocomplexes. Different co-chaperones seem to compete for association with HSP90 thus establishing distinct HSP90-co-chaperone-receptor complexes with the potential to exert tissue-specific receptor activity control. May have a preference for estrogen receptor complexes and is not found in glucocorticoid receptor complexes. May be involved in cytoplasmic dynein-dependent movement of the receptor from the cytoplasm to the nucleus. May regulate MYB by inhibiting its DNA-binding activity. Involved in regulation of AHR signaling by promoting the formation of the AHR:ARNT dimer; the function is independent of HSP90 but requires the chaperone activity region. Involved in regulation of UV radiation-induced apoptosis.[UniProtKB/Swiss-Prot Function]

**Product images:**

[MR205715L2] was used to prepare Lentiviral particles using [TR30037] packaging kit. HEK293T cells were transduced with MR205715L2V particle to overexpress human Ppid-mGFP fusion protein.