

Product datasheet for MR205753L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Cntfr (NM_001136056) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Cntfr (NM_001136056) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Cntfr

Synonyms: Cntf; Cntfralpha

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ACCN: NM_001136056

ORF Size: 1119 bp

ORF Nucleotide

OTI Disclaimer:

The ORF insert of this clone is exactly the same as(MR205753).

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 001136056.2

 RefSeq Size:
 2021 bp

 RefSeq ORF:
 1119 bp

 Locus ID:
 12804

 UniProt ID:
 088507

 Cytogenetics:
 4 21.81 cM







Gene Summary:

This gene encodes the alpha subunit of the ciliary neurotrophic factor (CNTF) receptor that triggers the assembly of a trimolecular complex upon binding to CNTF, and initiate a downstream signaling process. The encoded preproprotein undergoes proteolytic processing to generate a glycosylphosphatidylinositol-linked cell surface protein. Mice lacking the encoded protein die shortly after birth and exhibit a reduction of motoneuron number at birth. The transgenic disruption of this gene specifically in the skeletal muscle followed by a peripheral nerve lesion impairs motor neuron axonal regeneration across the lesion site. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Nov 2015]