

Product datasheet for **MR205939L3V**

Wnt5a (NM_009524) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

| | |
|---------------------------|--|
| Product Type: | Lentiviral Particles |
| Product Name: | Wnt5a (NM_009524) Mouse Tagged ORF Clone Lentiviral Particle |
| Symbol: | Wnt5a |
| Synonyms: | 8030457G12Rik; Wnt-5a |
| Mammalian Cell Selection: | Puromycin |
| Vector: | pLenti-C-Myc-DDK-P2A-Puro (PS100092) |
| Tag: | Myc-DDK |
| ACCN: | NM_009524 |
| ORF Size: | 1143 bp |
| ORF Nucleotide Sequence: | The ORF insert of this clone is exactly the same as(MR205939). |
| OTI Disclaimer: | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info |
| OTI Annotation: | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |
| RefSeq: | NM_009524.2 |
| RefSeq Size: | 4354 bp |
| RefSeq ORF: | 1143 bp |
| Locus ID: | 22418 |
| UniProt ID: | P22725 |
| Cytogenetics: | 14 16.8 cM |



[View online »](#)

Gene Summary:

Ligand for members of the frizzled family of seven transmembrane receptors (PubMed:17117926). Can activate or inhibit canonical Wnt signaling, depending on receptor context (PubMed:16602827). In the presence of FZD4, activates beta-catenin signaling. In the presence of ROR2, inhibits the canonical Wnt pathway by promoting beta-catenin degradation through a GSK3-independent pathway which involves down-regulation of beta-catenin-induced reporter gene expression (PubMed:16602827). Suppression of the canonical pathway allows chondrogenesis to occur and inhibits tumor formation. Stimulates cell migration (PubMed:17117926). Decreases proliferation, migration, invasiveness and clonogenicity of carcinoma cells and may act as a tumor suppressor. Mediates motility of melanoma cells (By similarity). Required during embryogenesis for extension of the primary anterior-posterior axis and for outgrowth of limbs and the genital tubercle (PubMed:10021340). Inhibits type II collagen expression in chondrocytes (By similarity). [UniProtKB/Swiss-Prot Function]