

Product datasheet for MR206033

Sav1 (NM_022028) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Sav1 (NM_022028) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Sav1
Synonyms:	1700040G09Rik; Salv; Sav; WW45; Wwp3; Wwp4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR206033 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGCTGTCCCGAAGAAAACAAAAACGAGGTGTCTAAGCCGGCCGAGGTGCAGGGCAAGTACGTGAAGA
AGGAGACGTGCGCCCTGCTGCGGAATCTCATGCCTTCATTCATTCGGCACGGTCCAACAATCCCAGACG
GACTGACCTCTGTCTCCAGATTCAGTGTACTGCTTCTCAGCTTCTGGAGACGGTATAGTTCAAGA
AACCAGAGTTTCTGAGAACTGCAATTCAAAGGACACCTCATGAAGTAATGAGAAGAGAAAGCCACAGAC
TGCTGCCCTTCTACCTTGTCAGGAGCCTAGCAGATGTCCCTCGAGAGTGTGGCTCATCACAGTCATT
TTTGACAGAAGTTAACTTTGCTGTTGAGAATGGAGACTCTGGCTCCCGATACTTCTCTCAGATAACTTT
TTTGATGGACAGAGAAGGCGGCCACTTGGAGATCGTGCACAAGAAGATTACAGATATTATGAATACAACC
ATGATCTCTTCCAGAGGATGCCACAGAGTCAGGGGAGGCACACTTCAGGTATTGGGAGAGTCACGGCTAC
ATCTCTAGGGAATTTAACTAACCATGGATCTGAAGATTTACCCCTTCTCCTGGCTGGTCTGTGGACTGG
ACAATGAGAGGGGAGAAAATACTACATAGATCATAACACAAATACCACTCACTGGAGTCATCCCCTTGAAC
GAGAAGGACTTCTCCTGGCTGGGAACGAGTAGAGTCATCAGAATTTGGAACCTATTACGTGGATCACAC
CAATAAAAGGGCTCAGTACAGGCACCCCTGTGCTCCGAGTGTACCTCGGTATGATCAGCCTCACCCCATC
ACGTATCAGCCACAACAACTGAAAGAAATCAGTCTCTCCTGGTCCCTGCAAATCCCTACCATACTGCAG
AAATTCCTGACTGGCTTCAAGTTTATGCCCGAGCCCTGTGAAATATGACCACATTCTGAAGTGGGAGCT
CTTCCAGCTGGCTGACCTGGACACGTACCAGGGAATGCTGAAGTTGCTCTTCATGAAGGAACTGGAGCAG
ATTGTGAAGTTGTACGAGGCCTACAGACAGGCTTCTCACTGAGTTGGAAAACCGCAAGCAGAGGCAGC
AGTGGTATGCCAGCAGCATGGCAAGACGTTCTTAAGT

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >MR206033 protein sequence
 Red=Cloning site Green=Tags(s)

MLSRKKTNEVSKPAEVQGKYVKKETSPLLRNLMPFSIRHGPTIPRRDLCCLPDSSATAFASAGDGIVSR
 NQSFRLRTAIQRTPEVMRRESHRLSAPSYLVRSLADVPRECGSSQSFLTEVNFVAVENGDSGSRYYFSDNF
 FDGQRRRPLGDRAQEDYRYEYNHDLFQRMPQSQRHTSGIGRVTATSLGNLTNHGSEDLPLPPGWSVDW
 TMRGRKYYIDHNTNTTTHWSHPLEREGLPGWVERVESSEFGTYVDHTNKRAQYRHPCAPSVPYDQPPPI
 TYQPQTERNQSLLVANPYHTAEIPDWLQVYARAPVKYDHILKWELFQLADLDTYQGMLKLLFMKELEQ
 IVKLYEAYRQALLTELENRKQRQWYAQQHGKTFLS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_022028

ORF Size: 1161 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_022028.1](#), [NM_022028.2](#), [NP_071311.1](#)

RefSeq Size: 2524 bp

RefSeq ORF: 1161 bp

Locus ID: 64010


UniProt ID: [Q8VEB2](#)

Cytogenetics: 12 C2

MW: 44.9 kDa

Gene Summary: Regulator of STK3/MST2 and STK4/MST1 in the Hippo signaling pathway which plays a pivotal role in organ size control and tumor suppression by restricting proliferation and promoting apoptosis. The core of this pathway is composed of a kinase cascade wherein STK3/MST2 and STK4/MST1, in complex with its regulatory protein SAV1, phosphorylates and activates LATS1/2 in complex with its regulatory protein MOB1, which in turn phosphorylates and inactivates YAP1 oncoprotein and WWTR1/TAZ. Phosphorylation of YAP1 by LATS1/2 inhibits its translocation into the nucleus to regulate cellular genes important for cell proliferation, cell death, and cell migration. SAV1 is required for STK3/MST2 and STK4/MST1 activation and promotes cell-cycle exit and terminal differentiation in developing epithelial tissues. Plays a role in centrosome disjunction by regulating the localization of NEK2 to centrosomes, and its ability to phosphorylate CROCC and CEP250. In conjunction with STK3/MST2, activates the transcriptional activity of ESR1 through the modulation of its phosphorylation (By similarity). [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR206033