

Product datasheet for MR206058L4

Chst4 (NM_011998) Mouse Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Chst4 (NM_011998) Mouse Tagged Lenti ORF Clone
Tag:	mGFP
Symbol:	Chst4
Synonyms:	Gn6st-2; GST-3; HEC-GlcNAc6ST
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR206058).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.


ACCN:	NM_011998
ORF Size:	1167 bp



[View online »](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_011998.3 , NP_036128.2
RefSeq Size:	2000 bp
RefSeq ORF:	1167 bp
Locus ID:	26887
UniProt ID:	Q9R111
Cytogenetics:	8 D3
Gene Summary:	Sulfotransferase that utilizes 3'-phospho-5'-adenylyl sulfate (PAPS) as sulfonate donor to catalyze the transfer of sulfate to position 6 of non-reducing N-acetylglucosamine (GlcNAc) residues within mucin-associated glycans that ultimately serve as SELL ligands. SELL ligands are present in high endothelial cells (HEVs) and play a central role in lymphocyte homing at sites of inflammation. Participates in biosynthesis of SELL ligand sialyl 6-sulfo Lewis X on SELL counter-receptors SPN/CD43, GLYCAM1 and MADCAM1. Also involved in biosynthesis of SELL ligand recognized by MECA-79 antibody. Plays a central role in lymphocyte trafficking during chronic inflammation. Has a catalytic preference for core 2-branched mucin-type O-glycans. Can use GlcNAc β 1-6[Gal β 1-3]GalNAc-pNP (core 2), GlcNAc β 1-6ManOMe and GlcNAc β 1-2Man oligosaccharide structures as acceptors. Has also activity toward core 3 of GlcNAc β 1-3GalNAc-pNP. Its substrate specificity may be influenced by its subcellular location.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR206058L4