


## Product datasheet for MR206225L3

### Dxo (NM\_033613) Mouse Tagged Lenti ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Dxo (NM_033613) Mouse Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	Dxo
Synonyms:	Dom3z; NG6
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR206225).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF.


ACCN:	NM_033613
ORF Size:	1194 bp



[View online »](#)

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_033613.1</a> , <a href="#">NP_291091.1</a>
<b>RefSeq Size:</b>	1472 bp
<b>RefSeq ORF:</b>	1194 bp
<b>Locus ID:</b>	112403
<b>UniProt ID:</b>	<a href="#">O70348</a>
<b>Cytogenetics:</b>	17 B1
<b>Gene Summary:</b>	Ribonuclease that specifically degrades pre-mRNAs with a defective 5' end cap and is part of a pre-mRNA capping quality control. Has decapping, pyrophosphohydrolase and 5'-3' exonuclease activities. Has decapping activity toward incomplete 5' end cap mRNAs such as unmethylated 5' end-capped RNA to release GpppN and 5' end monophosphate RNA. The 5' end monophosphate RNA is then degraded by the 5'-3' exoribonuclease activity, enabling this enzyme to decap and degrade incompletely capped mRNAs. Also possesses RNA 5'-pyrophosphohydrolase activity by hydrolyzing the 5' end triphosphate to release pyrophosphates.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR206225L3