

## Product datasheet for MR206318L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Krt19 (NM\_008471) Mouse Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** Krt19 (NM\_008471) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Krt19

**Synonyms:** Al663979; CK-19; End; EndoC; K19; Krt-1.1; Krt-1.19; Krt1-1

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM\_008471

 ORF Size:
 1212 bp

**ORF Nucleotide** 

. **. . . .** . . . . . . . .

OTI Disclaimer:

Sequence:

The ORF insert of this clone is exactly the same as(MR206318).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 008471.2

 RefSeq Size:
 1509 bp

 RefSeq ORF:
 1212 bp

 Locus ID:
 16669

 UniProt ID:
 P19001

Cytogenetics: 11 63.42 cM







## **Gene Summary:**

The protein encoded by this gene is a member of the keratin family. The keratins are intermediate filament proteins responsible for the structural integrity of epithelial cells and are subdivided into cytokeratins and hair keratins. The type I cytokeratins consist of acidic proteins which are arranged in pairs of heterotypic keratin chains. Unlike its related family members, this smallest known acidic cytokeratin is not paired with a basic cytokeratin in epithelial cells. It is specifically expressed in the periderm, the transiently superficial layer that envelopes the developing epidermis. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Sep 2015]