

### Product datasheet for MR206341L3

## Phone: +1-888-267-4436 https://www.origene.com

Rockville, MD 20850, US techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

#### Jmjd6 (NM\_033398) Mouse Tagged Lenti ORF Clone

**Product data:** 

**Product Type: Expression Plasmids** 

**Product Name:** Imid6 (NM 033398) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Jmjd6

Synonyms: 5730436I23Rik; D11Ertd195e; mKIAA0585; PSR; PtdSerR; Ptdsr

**Mammalian Cell** Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Sgfl-Mlul

E. coli Selection: Chloramphenicol (34 ug/mL)

The ORF insert of this clone is exactly the same as(MR206341). **ORF Nucleotide** 

Sequence:

**Restriction Sites: Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

ACCN: NM\_033398

**ORF Size:** 1212 bp



#### Jmjd6 (NM\_033398) Mouse Tagged Lenti ORF Clone - MR206341L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 033398.2</u>

RefSeq Size: 1688 bp
RefSeq ORF: 1212 bp
Locus ID: 107817
UniProt ID: Q9ERI5

Cytogenetics: 11 81.49 cM

**Gene Summary:** This gene encodes a nuclear protein with a [mjC domain. [mjC domain-containing proteins are

predicted to function as protein hydroxylases or histone demethylases. This protein functions in differentiation of multiple tissues during development, and in anti-inflammatory cytokine


signaling. It was first identified as a putative phosphatidylserine receptor involved in

phagocytosis of apoptotic cells; however, subsequent studies have indicated that this protein does not directly function in the clearance of apoptotic cells, and questioned whether it is a

true phosphatidylserine receptor. [provided by RefSeq, Jul 2008]



# **Product images:**



Circular map for MR206341L3