

Product datasheet for MR206438L4

Tead2 (BC050217) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Tead2 (BC050217) Mouse Tagged Lenti ORF Clone

Tag: mGFP Symbol: Tead2

Synonyms: ETF, TEF4, TEAD-2, TEF-4

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone:


Sequence:

The ORF insert of this clone is exactly the same as(MR206438).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: BC050217 **ORF Size:** 1230 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Tead2 (BC050217) Mouse Tagged Lenti ORF Clone - MR206438L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>BC050217</u>, <u>AAH50217</u>

RefSeq Size: 1951 bp
RefSeq ORF: 1232 bp
Locus ID: 21677

Cytogenetics: 7 29.19 cM

Gene Summary: Transcription factor which plays a key role in the Hippo signaling pathway, a pathway

involved in organ size control and tumor suppression by restricting proliferation and promoting apoptosis. The core of this pathway is composed of a kinase cascade wherein MST1/MST2, in complex with its regulatory protein SAV1, phosphorylates and activates LATS1/2 in complex with its regulatory protein MOB1, which in turn phosphorylates and inactivates YAP1 oncoprotein and WWTR1/TAZ. Acts by mediating gene expression of YAP1 and WWTR1/TAZ, thereby regulating cell proliferation, migration and epithelial mesenchymal


GTGGAATGT-3'). May be involved in the gene regulation of neural development. Binds to the

transition (EMT) induction (By similarity). Binds to the SPH and GT-IIC 'enhansons' (5'-

M-CAT motif.[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR206438L4