

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for MR206461L2V

## Zbp1 (NM\_021394) Mouse Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	Zbp1 (NM_021394) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Zbp1
Synonyms:	2010010H03Rik; Dai; Dlm1; mZaDLM
Mammalian Cell Selection:	None
Vector:	pLenti-C-mGFP (PS100071)
Tag:	mGFP
ACCN:	NM_021394
ORF Size:	1236 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR206461).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 021394.1, NP 067369.1</u>
RefSeq Size:	1988 bp
RefSeq ORF:	1236 bp
Locus ID:	58203



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Zbp1 (NM_021394) Mouse Tagged ORF Clone Lentiviral Particle – MR206461L2V
--	---

Gene Summary:Participates in the detection by the host's innate immune system of DNA from viral, bacterial<br/>or even host origin. Plays a role in host defense against tumors and pathogens. Acts as a<br/>cytoplasmic DNA sensor which, when activated, induces the recruitment of TBK1 and IRF3 to<br/>its C-terminal region and activates the downstream interferon regulatory factor (IRF) and NF-<br/>kappa B transcription factors, leading to type-I interferon production. ZBP1-induced NF-<br/>kappaB activation probably involves the recruitment of the RHIM containing kinases RIPK1<br/>and RIPK3.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US