

Product datasheet for **MR206714**

Mapk10 (NM_001081567) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Mapk10 (NM_001081567) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Mapk10
Synonyms:	C230008H04Rik; JNK; JNK3; JNK3B1; JNK3B2; p54bSAPK; p493F1; p493F12; SAPK(beta); Ser; Serk2
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

ORF Nucleotide Sequence:

>MR206714 representing NM_001081567
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGAGCAAAGCAAGGTGGACAACCAGTCTACAGTGTGGAAGTGGGGACTCAACCTTCACCGTCTTA
 AGCGCTACCAGAACCTGAAGCCAATTGGCTCTGGGCTCAGGGAATAGTCTGTGCTGCGTACGACGCTGT
 CCTTGACAGAAATGTGGCATTAAAGAAGCTCAGCAGACCCCTCCAGAACCAAACCTCACGCCAAGAGGGCT
 TACCGGGAGCTGGTCTCATGAAGTGTGTGAACCATAAAAAATTATTAGCTTATTAATGTTTTTACAC
 CCCAGAAAACACTGGAGGAGTTCCAAGATGTCTACTTAGTGATGGAAGTATGGACGCCAACCTGTGTCA
 GGTGATTCAGATGGAGCTGGACCACGAGCGGATGTCTTACTTGTGTACCAGATGCTGTGTGCCATCAAG
 CACCTCCACTCCGCTGGGATCATCCACAGGGACTTAAAACCCAGTAACATTGTAGTCAAGTCTGATTGCA
 CACTGAAAATCCTCGACTTCGGACTGGCCAGGACAGCGGGTACAAGCTTCATGATGACTCCGATGTGGT
 GACGCGATATTACAGAGCCCTGAGGTCATCCTGGGCATGGGCTACAAGGAGAAGCTGGACATATGGTCT
 GTGGGATGCATCATGGGAGAAATGGTTCGCCACAAAATCCTCTTTCCCGAAGGGACTATATTGACCAGT
 GGAACAAAGTCATCGAGCAGCTAGGAATCCGTGTCCAGAGTTCATGAAGAAATTGCAGCCACAGTCAG
 AAACACTGTGGAGAAATCGGCCAAGTACGACGAGTCACTTCCCAAGCTCTTCCAGATTCCCTCTTC
 CCAGCGGATTCTGAGCACAATAAACTTAAAGCCAGCCAAGCCAGGGATTTGTTGTCTAAGATGTTAGTGA
 TTGACCCAGCGAAGAGGATATCGGTGGACGACGCACTGCAGCATCCGTACATCAACGTTTGGTACGACCC
 GGCTGAAGTGGAGGCGCTCCGCTCAGATATGATAAGCAGCTGGATGAAAGGGAGCACACCATCGAA
 GAATGGAAGAAGCTTATCTACAAGGAGGTAATGAACTCAGAAGAGAAGACTAAGAATGGCGTAGTCAAAG
 GCCAGCCCTCGCTTCAGGTGCAGCAGTGAACAGCAGTGAAGTCTCCCTCCATCCTCGTCTGTCAACGA
 CATCTCCTCCATGTCCACCGACCAGCCCTCGCATCTGACACTGACAGCAGCCTGGAGGCCCTGGCGGGA
 CCGTTGGTTGTTGCAGG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR206714 representing NM_001081567
 Red=Cloning site Green=Tags(s)


MSKSKVDNQFYSVEVGDSTFTVLKRYQNLKPIGSGAQGIVCAAYDAVLDNRNVAIKKLSRPFQNTAKRA
 YRELVLMKCVNHKNIISLLNVFTPQKLEEFQDVYLMELMDANLCQVIQMELDHERMSYLLYQMLCGIK
 HLHSAGIIHRDLKPSNIVVKSCTLKILDFGLARTAGTSFMMPYVYVTRYRAPEVILGMGYKENVDIWS
 VGCIMGEMVRHKILFPGRDYIDQWNVIEQLGTPCFMFKLQPTVRNYVENRPKYAGLTFPKLFPDSL
 PADSEHNKLGASQARDLLSKMLVIDPAKRISVDDALQHPYINVWYDPAEVEAPPPQIYDKQLDEREHTIE
 EWKELIYKEVMNSEKTKNGVVKGQPSPSGAAVNSSESLPPSSSVNDISSMSTDQTLASDTSLEASAG
 PLGCCR

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:

Plasmid Map:


ACCN: NM_001081567

ORF Size: 1392 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq Size:	7198 bp
RefSeq ORF:	1395 bp
Locus ID:	26414
Cytogenetics:	5 E5
MW:	53 kDa
Gene Summary:	<p>The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as integration points for multiple biochemical signals, and thus are involved in a wide variety of cellular processes, such as proliferation, differentiation, transcription regulation and development. This kinase is specifically expressed in a subset of neurons in the nervous system and is activated by threonine and tyrosine phosphorylation. Targeted deletion of this gene in mice suggests that it may have a role in stress-induced neuronal apoptosis. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. A recent study provided evidence for translational readthrough in this gene, and expression of an additional C-terminally extended isoform via the use of an alternative in-frame translation termination codon. [provided by RefSeq, Dec 2017]</p>