

Product datasheet for MR206755L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Skp2 (NM_013787) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Skp2 (NM 013787) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Skp2

Synonyms: 4930500A04Rik; FBXL1; FWD1; p45

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_013787

ORF Size: 1272 bp

Sequence:

Cytogenetics:

ORF Nucleotide

The ORF insert of this clone is exactly the same as(MR206755).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 013787.2</u>, <u>NP 038815.1</u>

15 A1

 RefSeq Size:
 3204 bp

 RefSeq ORF:
 1275 bp

 Locus ID:
 27401

 UniProt ID:
 Q9Z0Z3







Gene Summary:

Substrate recognition component of the SCF (SKP1-CUL1-F-box protein) E3 ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of target proteins involved in cell cycle progression, signal transduction and transcription. The SCF complex provides substrate specificity and interacts with both, the E2 ubiquitin-conjugating enzyme and the substrate. Specifically recognizes phosphorylated CDKN1B/p27kip and is involved in regulation of G1/S transition. Degradation of CDKN1B/p27kip also requires CKS1. Promotes ubiquitination and destruction of CDH1 in a CK1-Dependent Manner, thereby regulating cell migration (By similarity).[UniProtKB/Swiss-Prot Function]