

Product datasheet for **MR206800**

Entpd5 (NM_001026214) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Entpd5 (NM_001026214) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Entpd5
Synonyms:	A1196558; A1987697; Cd39l4; ER-UDPase; mNTPase; NTPDase-5; NTPDase5; Pcph
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MR206800 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCCACTTCTGGGGGCTGTCTTCATGCTGATCATAGCCTGCGTTGGCAGCACTGTCTTCTACAGAG
 AACAGCAGACCTGGTTTGAAGGTGCTTCTTGTCTTCCATGTGCCCATTAATGTGAGTCCGGCACCTT
 TTATGGAATTATGTTTGTGCGGGCAGCACTGGAACCTCGATTTCATGTTTACACTTTTGTGCAGAAAACA
 GCAGGACAGCTCCCTTTCTGGAAGGTGAAATTTTATTCTGTGAAGCCGGGACTTTCTGCTTTTGTGG
 ATCAGCCCAAACAGGGTCTGAGACTGTCCAGGAGCTCTTGGAGGTGGCCAAAGACTCGATCCCCAGAAG
 CCACTGGGAAAGGACCCCGTGGTTCTGAAAGCAACGGCCGACTCCGTTTGTGCTGAGCAGAAAAGCC
 CAGGCTCTGCTCTGGAGGTAGAGGAGATCTTCAAGAATTCACCTTTCTGGTCCAGATGGCAGCGTTA
 GCATCATGGATGGTCTATGAAGGCATACTAGCCTGGGTACCCTGAACCTTCTAACAGGTGAGTGTCA
 TGGTCTGCGCCAGGAGACTGTGGGGACCTTGACCTGGGGGTGCCTCCACCAAATCACGTTTCTACCC
 CAGTTTGAAGAAACCCTGGAACAAACACCTAGGGGCTACCTCACTTCTTTGAGATGTTTAAACAGCACTT
 TTAAGCTCTATACACATAGTTACTTGGGATTTGGACTGAAAGCTGCAAGACTGGCAACTCTGGGAGCCCT
 GGAAGCAAAGGGACTGATGGACATACGTTTCAAGTGCCTGTTTACCAAGATGGTTGGAAGCAGAGTGG
 ATCTTTGGGGGTGTGAAATACCAGTATGGTGGTAACCAAGAAGGGGAGATGGGCTTTGAACCCTGCTATG
 CGGAAGTCTGAGGGTAGTACAGGGGAACTTACCAGCCAGAAGAAGTCCGAGGAAGCGCCTTCTACGC
 TTTCTTACTACTACGATCGAGCCGCTGACACACACTTGATCGATTATGAAAAGGGCGGGTTTTAAAA
 GTTGAAGATTTTGAAGAAAAGCCAGAGAAGTGTGTGACAACCTGGGGAGCTTCTCTCGGCAGTCTCT
 TCCTCTGCATGGACCTCACTTACATCACAGCCCTGTTGAAAGATGGTTTTGGCTTTGCCGACGGCACCT
 CTACAGCTCACAAAGAAGTGAACAACATAGAGACTGGTTGGCCTTGGGGCCACCTTACACCTGCTC
 CAGTCTCTGGGCATCACCAGC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR206800 protein sequence
 Red=Cloning site Green=Tags(s)

MATSWGAVFMLIIACVGSTVFYREQQTFWFEVFLSSMCPINVSAGTFYGMFDAGSTGTRIHVYTFVQKT
 AGQLPFLEGEIFDSVKPGLSAFVDQPKQGAETVQELLEVAKDISIPRSHWERTPVVLKATAGLRLLPEQKA
 QALLLEVEEIEFKNSPFLVPDGSVSIMDGSYEGILAWVTVNFLTGQLHGRGQETVGLDLGGASTQITFLP
 QFEKLTLEQTPRGYLTSEFMFNSTFKLYTHSYLGFGLKAARLATLGALEAKGTDGHTFRSACLPRWLEAEW
 IFGGVKYQYGGNQEGEMGFEPCEYAEVLRVVQGLHQPEEVRGSAFYAFSYYYDRAADTHLIDYEKGGVLK
 VEDFERKAREVCDNLGSFSSGSPFLCMDLTYITALLKDGFGFADGTLQLTKKVNNIETGWALGATFHLL
 QSLGITS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:


ACCN: NM_001026214

ORF Size: 1284 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001026214.2](#)

RefSeq Size: 4987 bp

RefSeq ORF: 1284 bp

Locus ID: 12499


UniProt ID: [Q9WUZ9](#)

Cytogenetics: 12 39.18 cM

MW: 47.1 kDa

Gene Summary: Uridine diphosphatase (UDPase) that promotes protein N-glycosylation and ATP level regulation. UDP hydrolysis promotes protein N-glycosylation and folding in the endoplasmic reticulum, as well as elevated ATP consumption in the cytosol via an ATP hydrolysis cycle. Together with CMPK1 and AK1, constitutes an ATP hydrolysis cycle that converts ATP to AMP and results in a compensatory increase in aerobic glycolysis. The nucleotide hydrolyzing preference is GDP > IDP > UDP, but not any other nucleoside di-, mono- or triphosphates, nor thiamine pyrophosphate. Plays a key role in the AKT1-PTEN signaling pathway by promoting glycolysis in proliferating cells in response to phosphoinositide 3-kinase (PI3K) signaling. [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR206800