

Product datasheet for MR206827L4

https://www.origene.com techsupport@origene.com

EU: info-de@origene.com CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rnf128 (NM_023270) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Rnf128 (NM_023270) Mouse Tagged Lenti ORF Clone

Tag: mGFP Symbol: Rnf128

Synonyms: 1300002C13Rik; Al987883; GRAIL; Greul1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)


The ORF insert of this clone is exactly the same as(MR206827). **ORF Nucleotide**

Sgfl-Mlul

Sequence:

Restriction Sites: Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_023270

ORF Size: 1284 bp



Rnf128 (NM_023270) Mouse Tagged Lenti ORF Clone - MR206827L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 023270.5</u>, <u>NP 075759.3</u>

 RefSeq Size:
 2764 bp

 RefSeq ORF:
 1287 bp

 Locus ID:
 66889

 UniProt ID:
 Q9D304

Cytogenetics: X F1

Gene Summary: E3 ubiquitin-protein ligase that catalyzes 'Lys-48'- and 'Lys-63'-linked polyubiquitin chains

formation. Functions as an inhibitor of cytokine gene transcription. Inhibits IL2 and IL4 transcription, thereby playing an important role in the induction of the anergic phenotype, a long-term stable state of T-lymphocyte unresponsiveness to antigenic stimulation associated with the blockade of interleukin production. Ubiquitinates ARPC5 with 'Lys-48' linkages and

COR1A with 'Lys-63' linkages leading to their degradation, down-regulation of these cytosleletal components results in impaired lamellipodium formation and reduced accumulation of F-actin at the immunological synapse. Functions in the patterning of the dorsal ectoderm; sensitizes ectoderm to respond to neural-inducing signals (By similarity).

[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR206827L4