

## Product datasheet for MR207148L3V

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Clu (NM\_013492) Mouse Tagged ORF Clone Lentiviral Particle

### **Product data:**

Product Type: Lentiviral Particles

**Product Name:** Clu (NM\_013492) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Clu

Synonyms: A; Al893575; ApoJ; C; Cli; D14Ucla; D14Ucla3; Sg; Sgp; Sgp-2; Sgp-2; Sp-40; Sugp; Sugp-2

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM\_013492

ORF Size: 1347 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(MR207148).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 013492.1</u>

 RefSeq Size:
 1808 bp

 RefSeq ORF:
 1347 bp

 Locus ID:
 12759

 UniProt ID:
 Q06890

Cytogenetics: 14 34.36 cM







#### **Gene Summary:**

The protein encoded by this gene is a secreted chaperone that can, under some stress conditions, also be found in the cell cytosol. It has been suggested to be involved in several basic biological events such as cell death, tumor progression, and neurodegenerative disorders. The encoded preproprotein undergoes proteolytic processing to generate a disulfide-linked heterodimeric mature protein comprised of alpha and beta subunits. Mice lacking the encoded protein exhibit increased severity of autoimmune myocarditis, faster progression of the acute inflammation to myocardial scarring and decreased brain injury following neonatal hypoxic-ischemic injury. [provided by RefSeq, Nov 2015]