

## **Product datasheet for MR207152L4**

### nttps: techsi

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

## Psen2 (NM\_001128605) Mouse Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Psen2 (NM\_001128605) Mouse Tagged Lenti ORF Clone

Tag: mGFP Symbol: Psen2

Synonyms: Ad4; Ad4h; ALG; ALG-3; Alg3; P; PS; PS-2; PSnl2; STM2

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Sgfl-Mlul

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR207152).

Sequence:

ocquence.

Restriction Sites: Cloning Scheme:





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001128605

ORF Size: 1347 bp



#### Psen2 (NM\_001128605) Mouse Tagged Lenti ORF Clone - MR207152L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001128605.1, NP 001122077.1

RefSeq Size: 2017 bp RefSeq ORF: 1347 bp Locus ID: 19165 **UniProt ID:** Q61144

**Gene Summary:** 

Cytogenetics:


184.19 cM

This gene encodes a member of the presenilin family. Presenilins are catalytic components of the multi-subunit gamma-secretase complex, which mediates critical cellular processes through cleavage of type I transmembrane proteins including Notch receptors and the amyloid precursor protein. The encoded protein contains eight transmembrane domains and is localized to the endoplasmic reticulum, where it may play a role in calcium homeostasis. Following assembly of the gamma-secretase complex, the encoded protein is cleaved into Nand C-terminal fragments and the activated complex is released from the endoplasmic reticulum. Inactivation of this gene results in impaired synaptic function in a mouse model for Alzheimer's disease. Alternatively spliced transcript variants have been observed for this

gene. [provided by RefSeq, Apr 2011]



# **Product images:**



Circular map for MR207152L4