

# Product datasheet for MR207212L3

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Ppp2r5c (NM 001081458) Mouse Tagged Lenti ORF Clone

#### **Product data:**

**Product Type: Expression Plasmids** 

**Product Name:** Ppp2r5c (NM\_001081458) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK Symbol: Ppp2r5c

2610043M05Rik; 2700063L20Rik; Al060890; AW545884; C85228; D12Bwg0916e; mKIAA0044 Synonyms:

**Mammalian Cell** Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

The ORF insert of this clone is exactly the same as(MR207212). **ORF Nucleotide** 

Sgfl-Mlul

Sequence:

**Restriction Sites: Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

ACCN: NM\_001081458

**ORF Size:** 1359 bp





## Ppp2r5c (NM\_001081458) Mouse Tagged Lenti ORF Clone - MR207212L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001081458.1</u>

RefSeq Size: 2383 bp
RefSeq ORF: 1359 bp
Locus ID: 26931
UniProt ID: Q60996

Cytogenetics: 12 60.56 cM


**Gene Summary:** The B regulatory subunit might modulate substrate selectivity and catalytic activity, and also

might direct the localization of the catalytic enzyme to a particular subcellular compartment. The PP2A-PPP2R5C holoenzyme may activate TP53 and play a role in DNA damage-induced inhibition of cell proliferation. PP2A-PPP2R5C may also regulate the ERK signaling pathway

through ERK dephosphorylation (By similarity).[UniProtKB/Swiss-Prot Function]



# **Product images:**



Circular map for MR207212L3