

Product datasheet for **MR207249**

Vrk2 (BC013520) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Vrk2 (BC013520) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Vrk2
Synonyms:	2810003O05Rik; AI447698
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MR207249 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**GCGATCGCC**

ATGGCACCAAGAAGAAAAGAAAATACAAGCTTCCGGTCCACTCCAGAAGCAAATCTGGATGATA
 TGGAAGGAAACCGGTGGGCACTGGCAAGATGATCGGCTCTGGAGGTTTGGACTGATATACTTAGCTTT
 CCCACAATAAACCAAAACAAAGATGCAAGACATGTCATAAAGCTGGAGTATCAAGAAAATGGCCATTA
 TTTTCAGAGCTTAAATTTTATCAGAGAGCTGCAAAAAGAGAATGTATCCAAAAGTGGATACAACAGAGGA
 AACTTGATTATTTAGGAATTCCTGTATTTTATGGATTTGGTCTGACTGATTTCAAAGGAAGAAGTTACAG
 ATTCATGGTAATGGAAAGACTTGAATAGATTTACAGAACTCCTGGACCAGAATGGTGGTTTTAAAAA
 TTAACCGTCTACAACCTGGCATCAGGATGCTGGATGACTGGAATATATACATGAAAATGAGTATGTTT
 ATGGTGATATAAAGCCGCAATCTACTGTTGGATTTACAAATCCAGACCGGGTTTATCTTGCAGACTA
 TGGACTTCTACAGATATTGTCCAATGGGAACCACAAACAGTATCAGGAAGATCCAGAAAGGGCCAT
 AATGGGACAATAGAGTTTACAAGTTTGGATGCACACAAAGGAGTGGCCCCATCCAGGAGGAGTATGTTG
 AAATCCTTGTTACTGCATGCTGCACTGGCTCTTCGGGAAGCTTCTTGGGAAGCAAAGCTGGACGACCC
 TGTGGCTGTCCAGACTGCTAAAACCAACCTGCTGGATGAACTCCCAGAGTCGGTGCTTAAGTGGGCTCT
 TCTGGAAGCAGTTGCAGTGAACCTGTCAAGTACTTGATGTATGTTTATAATTTAGCTTATGATGACAAGC
 CAGACTATCAGAAGCTCAAGAAAATTTGAATCCAGATGGAGTACTTTTAGGGCCACTGGAATTTCCAC
 TAAAGTACAGAGTGTCCGTGTCCGACTCCAGCCCAACAAAAGAAAAGTCAAGGACAAGGAAAATACAT
 GAATATTCTGATATTTTCAAGTGCAGAGTCTTCAACAAACCCAGCTATATGAGTTTCAAGGTT
 CATATTGCAAGCCCTATCTGGACTGCACCTAGAAGAGATCCCATCAGGAAGCCAAGATCCCTGCCTCGTA
 CAGACACAGCCACGGGTAATCTGGGAGTCACAGACTTGGAAAGTTCTCCAAGTTTTTGGCCTGCAATT
 TTTCAAGTACTGAGTGAAGAGACAAAGGCAGATGTGTATTACTATGGGATCACTATATTCTGTCTGC
 TGATATTTGATTTCTTCTTGTATTTTCTC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR207249 protein sequence
 Red=Cloning site Green=Tags(s)

MAPRRKEYKLPVPLPEGKILDDMEGNRWALGKMIGSGGFGLIYLAFPTNKPNDARHVIKLEYQENGL
 FSELKFYQRAAKRECIQKWIQQRKLDYLGIPVFYGFGLTDFKGRSYRFMVMERLGIDLQKLLDQNGGFKK
 LTVLQLGIRMLDVLEIYIHENEYVHGDIIKANLLDFTNPDVYLADYGLSYRYCPNGNHKQYQEDPRKGH
 NGTIEFTSLDAHKGVAPSRSDVEILGYCMLHWLFGKLPWEAKLDDPVAVQTAKTNLLDELPEVSKWAP
 SGSSCSELVKYLMYVHNLAYDDKPDYQKLLKILNPDGVLLGPLEFSTKVQSVRVRTPAQQKENSRTKIH
 EYSDIFSEMQLQQTSPSYMSFQGSYCKPYLDCTRRDPIRKPRSLPRYRHTPTGNLGVTDLESSPRFWPAI
 FQLTLSEETKADVYYYGITIFCLLIFVFLALYFL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: BC013520

ORF Size: 1362 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [BC013520](#), [AAH13520](#)
RefSeq Size: 1473 bp

RefSeq ORF: 1364 bp


Locus ID: 69922

Cytogenetics: 11 A3.3

MW: 52.5 kDa

Gene Summary: Serine/threonine kinase that regulates several signal transduction pathways. Isoform 1 modulates the stress response to hypoxia and cytokines, such as interleukin-1 beta (IL1B) and this is dependent on its interaction with MAPK8IP1, which assembles mitogen-activated protein kinase (MAPK) complexes. Inhibition of signal transmission mediated by the assembly of MAPK8IP1-MAPK complexes reduces JNK phosphorylation and JUN-dependent transcription. Phosphorylates histone H3. Phosphorylates 'Thr-18' of p53/TP53, and thereby increases its stability and activity. Phosphorylates BANF1 and disrupts its ability to bind DNA and reduces its binding to LEM domain-containing proteins. Downregulates the transactivation of transcription induced by ERBB2, HRAS, BRAF, and MEK1. Blocks the phosphorylation of ERK in response to ERBB2 and HRAS. May also phosphorylate MAPK8IP1. Can also phosphorylate the following substrates that are commonly used to establish in vitro kinase activity: casein, MBP and histone H2B, but it is not sure that this is physiologically relevant (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR207249