

Product datasheet for MR207705L3

F10 (NM 007972) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: F10 (NM_007972) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: F10

Synonyms: Al1947; Cf10; fX

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR207705).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





st The last codon before the Stop codon of the ORF.

ACCN: NM_007972

ORF Size: 1443 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

F10 (NM_007972) Mouse Tagged Lenti ORF Clone - MR207705L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 007972.3</u>

 RefSeq Size:
 2503 bp

 RefSeq ORF:
 1446 bp

 Locus ID:
 14058

 UniProt ID:
 088947

Cytogenetics: 8 5.73 cM

Gene Summary: This gene encodes factor X, a component of both the intrinsic and extrinsic blood coagulation pathways. The encoded protein is a zymogen that undergoes further processing in a vitamin

pathways. The encoded protein is a zymogen that undergoes further processing in a vitamin K-dependent manner to generate mature factor X, a heterodimer comprised of disulfide-linked heavy and light chains. The mature factor X is proteolytically activated either by factor


IXa (intrinsic pathway) or factor VIIa (extrinsic pathway) to form factor Xa serine

endopeptidase. Activated factor Xa catalyzes the conversion of prothrombin to thrombin. A complete lack of the encoded protein is fatal to mice. A severe deficiency of the encoded protein in mice causes age-dependent iron deposition and cardiac fibrosis. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by

RefSeq, Aug 2015]



Product images:



Circular map for MR207705L3