

## Product datasheet for MR207743L4

## Adsl (NM\_009634) Mouse Tagged Lenti ORF Clone

### **Product data:**

**Product Type: Expression Plasmids** 

**Product Name:** Adsl (NM\_009634) Mouse Tagged Lenti ORF Clone

Tag: mGFP Symbol: Adsl

Adl; Asl Synonyms: **Mammalian Cell** 

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

**ORF Nucleotide** 

Sequence:

The ORF insert of this clone is exactly the same as(MR207743).

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

ACCN: NM\_009634

**ORF Size:** 1452 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

#### Adsl (NM\_009634) Mouse Tagged Lenti ORF Clone - MR207743L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

**RefSeq:** <u>NM 009634.3</u>

 RefSeq Size:
 3712 bp

 RefSeq ORF:
 1455 bp

 Locus ID:
 11564

 UniProt ID:
 P54822

Cytogenetics: 15 37.95 cM

**Gene Summary:** This gene encodes a protein that is involved in adenosine monophosphate (AMP)

biosynthesis and maintaining AMP levels in the muscle. The encoded enzyme catalyzes the


release of fumarate during AMP biosynthesis by cleaving the substrates

succinylaminoimidazole carboxamide (SAICA) ribotide to give aminoimidazole carboxamide (AICA) ribotide, and adenylosuccinate to give adenylate. In humans, this gene is associated with adenylosuccinate deficiency, a rare autosomal disorder resulting in a spectrum of neurological symptoms. A pseudogene associated with this gene is located on the X

chromosome. [provided by RefSeq, Jan 2013]



# **Product images:**



Circular map for MR207743L4