

Product datasheet for **MR207834**

Gas8 (NM_018855) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Gas8 (NM_018855) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Gas8
Synonyms:	Gas11
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MR207834 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGGCACCCAAAAAGAAAGGGAAGAAGGGGAAAGCCAAAGGGACCGCGATTGTTGATGGCGTCGCCACCAG
 AGGACATGACCAAGGAGCAGGTGGAGGAACATGTCGCCCGCATCCGGGAGGAGCTGGACAGGGAGAGAGA
 GGAGCGTAACTACTTCCAGCTGGAGCGCGACAAGATCCACACCTTCTGGGAGATCACGGGAGGCAGCTG
 GAGGAGAAGAAGGCTGAGCTGCGCAACAAGACCCGGGAGATGGAGGAGCCGAGGAGAGGCACCAGGTGG
 AGATCAAGGTATAACAAGCAGAAGGTGAAGCACCTGCTGTACGAGCACCAGAACAACCTGGCTGAGGTGAA
 GGCTGAGGGCACCGTGGTTCATGAAGCTGGCCAGAAGGAGCACCCAGGAGGGCGCTCTGCGCAAG
 GACATGCGGGTGTGAAGGTGGAGCTCAAGGAGCAGGAGCTGGCTAACGAGGTGGTCATAAAGAACCTGT
 GCCTGAAACAAGCCGAGGAGATACCAAGATGCGAAATGACTTTGAAAGGCAAGTTCGAGAAATTGAGGC
 CAAGTATGATAAGAAGATGAAGATGCTTAGAGACGAACCTTGACCTGCGGAGGAAGACTGAGATCCATGAG
 GTAGAGGAGAGGAAAAACGGCCAGATCAGCACTCTGATGCAGCGCCACGAGGAGGCCCTTACGGACATCA
 AGAACTACTACAACGACATCACTCTCAACAACCTGGCCCTCATCAACTCCCTCAAGGAGCAGATGGAGGA
 CATGCGTAAGAAGGAGGAACACATGGAGAGGGAGATGGCGGAGGTGACTCTGCAGAACCGCGCGCTGGCC
 GACCCGCTGCAGAAAGCCAAGGACGAGATGAACGAGATGCAGAAGAGACTGGGGAACCACGAGAGGGACA
 AGCAGATTCTGGTCTGTACAAGGCACGTTTGAAGGTGGCTGAGAGGGAGCTAAAGGACCTGAAATGGGA
 ACATGAGGTCTGGAGCAGAGGTTTCATCAAGGTGCAGCAGGAGAGGGAAGAGCTCTATCGGAAGTTTGCA
 GACGCCATCCAGGAGGTGCAGCAGAAGACGGGCTTCAAGAACCTGCTGCTGGAGCGGAAGCTGCAGGCC
 TGAACGCTGCTGGAGAAGAGAGAGGTTCAAGTCAATGAGGTGCTGGCCGCTCCAACGACCCAC
 AGCATTAAACGCTTGTGTCCCGCAAACCTTGAGGATGTTCTAGAATCGAAGAATACCAACCATCAAGGACTTA
 CAGTATGAGCTGGCCCGGTCTGCAAGGCCACAATGACCTGCTGCGTACATATGAGGCGAAGTTACTGG
 CCTTCGGGATCCCCCTGGACAATGTGGGTTCAAGCCCTGGAGACAGCAGTGATTGGACAGACTGGG
 ACAGGGCCCTGCAGGACTTGTGGGTGCCCTACA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR207834 protein sequence
 Red=Cloning site Green=Tags(s)

MAPKKKGGKKGKAKGTAIVDGVAPEDMTKEQVEEHVARIREELDREREERNYFQLERDKIHTFWEITRRQL
 EEKKAELRNKDREMEEAERHQVEIKVYKQKVKHLLYEQNNLAEVKAEGTVVMKLAQKEHRTQEGALRK
 DMRVLKVELKEQELANEVVIKNLCLKQAEIITKMRNDFERQVREIEAKYDKMKMLRDELDLRRKTEIHE
 VEERKNGQISTLMQRHEEAFDINKNYNDITLNNLALINSLKEQMEDMRKKEEHMEREMAEVTLQNRRLA
 DPLQKAKDEMNMQKRLGNHERDKQILVCTKARLKVAERELKDLKWEHEVLEQRFIKVQQEREELYRKFA
 DAIQEVQKQKTFKNLLERKLQALNAAVEKREVQFNEVLAASNLDPTALTLVSRKLEDVLESKNTTIKDL
 QYELARVCKAHDLLRITYEAKLLAFGIPLDNVGFKPLETAVIGQTLGQGPAGLVGAPT



TRTRPLEQ**KL**ISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:


ACCN: NM_018855

ORF Size: 1437 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_018855.2](#), [NP_061343.2](#)
RefSeq Size: 1687 bp

RefSeq ORF: 1437 bp

Locus ID: 104346


UniProt ID: [Q60779](#)

Cytogenetics: 8 E1

MW: 56.3 kDa

Gene Summary: Component of the nexin-dynein regulatory complex (N-DRC), a key regulator of ciliary/flagellar motility which maintains the alignment and integrity of the distal axoneme and regulates microtubule sliding in motile axonemes. Plays an important role in the assembly of the N-DRC linker (By similarity). Plays dual roles at both the primary (or non-motile) cilia to regulate hedgehog signaling and in motile cilia to coordinate cilia movement. Required for proper motile cilia functioning. Positively regulates ciliary smoothed (SMO)-dependent Hedgehog (Hh) signaling pathway by facilitating the trafficking of SMO into the cilium and the stimulation of SMO activity in a GRK2-dependent manner (PubMed:17366626, PubMed:21659505, PubMed:27472056). May play a role in the spermatozoa motility (PubMed:11751847).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR207834