

Product datasheet for MR208088L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Mavs (NM_144888) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Mavs (NM 144888) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Mavs

Synonyms: cardif; D430028G21Rik; IPS-1; Visa

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_144888 **ORF Size:** 1512 bp

ORF Nucleotide

The OF

Sequence:

The ORF insert of this clone is exactly the same as(MR208088).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 144888.1

 RefSeq Size:
 3099 bp

 RefSeq ORF:
 1512 bp

 Locus ID:
 228607

 UniProt ID:
 Q8VCF0

 Cytogenetics:
 2 F1





Gene Summary:

Required for innate immune defense against viruses (PubMed:24037184). Acts downstream of DHX33, DDX58/RIG-I and IFIH1/MDA5, which detect intracellular dsRNA produced during viral replication, to coordinate pathways leading to the activation of NF-kappa-B, IRF3 and IRF7, and to the subsequent induction of antiviral cytokines such as IFN-beta and RANTES (CCL5) (PubMed:24037184). Peroxisomal and mitochondrial MAVS act sequentially to create an antiviral cellular state (By similarity). Upon viral infection, peroxisomal MAVS induces the rapid interferon-independent expression of defense factors that provide short-term protection, whereas mitochondrial MAVS activates an interferon-dependent signaling pathway with delayed kinetics, which amplifies and stabilizes the antiviral response (By similarity). May activate the same pathways following detection of extracellular dsRNA by TLR3 (By similarity). May protect cells from apoptosis (By similarity). [UniProtKB/Swiss-Prot Function]