

Product datasheet for MR208239L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Atp6v1b1 (NM 134157) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Atp6v1b1 (NM 134157) Mouse Tagged ORF Clone Lentiviral Particle

Symbol:

Atp6b1; AW208839; D630003L15; D630030L16Rik; D630039P21Rik; Vpp-3; Vpp3 Synonyms:

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK NM 134157 ACCN:

ORF Size: 1542 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(MR208239).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 134157.2

RefSeq Size: 1945 bp RefSeq ORF: 1542 bp Locus ID: 110935 **UniProt ID:** Q91YH6 Cytogenetics: 6 35.94 cM







Gene Summary:

Non-catalytic subunit of the V1 complex of vacuolar(H+)-ATPase (V-ATPase), a multisubunit enzyme composed of a peripheral complex (V1) that hydrolyzes ATP and a membrane integral complex (V0) that translocates protons (PubMed:16174750, PubMed:23028982). V-ATPase is responsible for acidifying and maintaining the pH of intracellular compartments and in some cell types, is targeted to the plasma membrane, where it is responsible for acidifying the extracellular environment (By similarity). Essential for the proper assembly and activity of V-ATPase (By similarity). In renal intercalated cells, mediates secretion of protons (H+) into the urine thereby ensuring correct urinary acidification (PubMed:16174750). Required for optimal olfactory function by mediating the acidification of the nasal olfactory epithelium (PubMed:23028982).[UniProtKB/Swiss-Prot Function]