

### **Product datasheet for MR208314L3**

## Riok3 (NM\_024182) Mouse Tagged Lenti ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Riok3 (NM\_024182) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Riok3

**Synonyms:** 1200013N13Rik; D18Ertd331e; E130306C24Rik; Sudd

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR208314).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_024182

ORF Size: 1560 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### Riok3 (NM\_024182) Mouse Tagged Lenti ORF Clone - MR208314L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 024182.3</u>, <u>NP 077144.2</u>

RefSeq Size: 3661 bp
RefSeq ORF: 1560 bp
Locus ID: 66878
UniProt ID: Q9DBU3
Cytogenetics: 18 6.15 cM


**Gene Summary:** Involved in regulation of type I interferon (IFN)-dependent immune response which plays a

critical role in the innate immune response against DNA and RNA viruses. May act as an adapter protein essential for the recruitment of TBK1 to IRF3. Phosphorylates IFIH1 on 'Ser-828' interfering with IFIH1 filament assembly on long dsRNA and resulting in attenuated IFIH1-signaling. Can inhibit CASP10 isoform 7-mediated activation of the NF-kappaB signaling

pathway. May play a role in the biogenesis of the 40S ribosomal subunit. Involved in the processing of 21S pre-rRNA to the mature 18S rRNA.[UniProtKB/Swiss-Prot Function]



# **Product images:**



Circular map for MR208314L3