

Product datasheet for MR208392L3

Alpl (NM_007431) Mouse Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Alpl (NM_007431) Mouse Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	Alpl
Synonyms:	Ak; Akp; Akp-2; Akp2; ALP; APTNAP; T; TNAP; TNSALP
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR208392).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.


ACCN:	NM_007431
ORF Size:	1575 bp



[View online »](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_007431.1
RefSeq Size:	2524 bp
RefSeq ORF:	1575 bp
Locus ID:	11647
UniProt ID:	P09242
Cytogenetics:	4 70.02 cM
Gene Summary:	This gene encodes a preproprotein that is proteolytically cleaved to yield a signal peptide and a proprotein that is subsequently processed to generate the active mature peptide. The encoded protein is a membrane-bound glycosylated enzyme that catalyzes the hydrolysis of phosphate esters at alkaline pH. The mature peptide maintains the ratio of inorganic phosphate to inorganic pyrophosphate required for bone mineralization. Mice that lack this enzyme show symptoms of osteomalacia, softening of the bones. In humans, mutations in this gene are associated with hypophosphatasia, an inherited metabolic bone disease in which deficiency of this enzyme inhibits bone mineralization leading to skeletal defects. Mutations in the mouse gene mirror the symptoms of human hypophosphatasia. A pseudogene of this gene is present on chromosome X. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2015]

Product images:



Circular map for MR208392L3