

## Product datasheet for MR208532L3

Slc47a1 (BC031436) Mouse Tagged Lenti ORF Clone

## **Product data:**

**Product Type: Expression Plasmids** 

**Product Name:** Slc47a1 (BC031436) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK Symbol: Slc47a1

RP23-451A6.3 Synonyms: **Mammalian Cell** 

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

The ORF insert of this clone is exactly the same as(MR208532). **ORF Nucleotide** 

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

ACCN: BC031436 **ORF Size:** 1596 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



### Slc47a1 (BC031436) Mouse Tagged Lenti ORF Clone - MR208532L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

**RefSeq:** <u>BC031436</u>

**RefSeq Size:** 2629 bp

**RefSeq ORF:** 1598 bp

**Locus ID:** 67473

Cytogenetics: 11 B2

Gene Summary: Solute transporter for tetraethylammonium (TEA), 1-methyl-4-phenylpyridinium (MPP),


cimetidine, N-methylnicotinamide (NMN), metformin, creatinine, guanidine, procainamide, topotecan, estrone sulfate, acyclovir, ganciclovir and also the zwitterionic cephalosporin, cephalexin and cephradin. Seems to also play a role in the uptake of oxaliplatin (a new platinum anticancer agent). Able to transport paraquat (PQ or N,N-dimethyl-4-4'-bipiridinium);

a widely used herbicid. Responsible for the secretion of cationic drugs across the brush

border membranes (By similarity).[UniProtKB/Swiss-Prot Function]



# **Product images:**



Circular map for MR208532L3