

# Product datasheet for MR208618L3

## Ripk2 (NM\_138952) Mouse Tagged Lenti ORF Clone

### **Product data:**


#### Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

**OriGene Technologies, Inc.** 

Rockville, MD 20850, US

9620 Medical Center Drive, Ste 200

Product Type:	Expression Plasmids
Product Name:	Ripk2 (NM_138952) Mouse Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	Ripk2
Synonyms:	2210420D18Rik; CAR; CARD3; CARDIAK; CCK; D4Bwg0615e; R; RI; RICK; RIP2
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR208618).
<b>Restriction Sites:</b>	Sgfl-Mlul
Cloning Scheme:	
	Cloning sites used for ORF Shuttling:
	<i>Sgf i</i> ORF <i>Miu i</i> [GCG ATC GC]C <mark>ATG // NNŇ</mark> [ACG CGT]



ACCN: ORF Size: NM\_138952 1617 bp




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

<b>GRIGENE</b> Ripk2 (NM_138952) Mouse Tagged Lenti ORF Clone – MR208618L3	
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NM 138952.2</u>
RefSeq Size:	1923 bp
RefSeq ORF:	1620 bp
Locus ID:	192656
UniProt ID:	<u>P58801</u>
Cytogenetics:	4 6.7 cM
Gene Summary:	This gene encodes a member of the receptor-interacting protein family of serine/threonine protein kinases. The encoded protein contains a C-terminal caspase activation and recruitment domain, and is a component of signaling complexes in both the innate and adaptive immune pathways. It is a potent activator of nuclear factor kappa B and inducer of apoptosis in response to various stimuli. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Jul 2016]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

## **Product images:**



Circular map for MR208618L3

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US