

## Product datasheet for **MR208633**

### Grb10 (NM\_001177629) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Grb10 (NM_001177629) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Grb10
Synonyms:	5730571D09Rik; AI325020; Meg1; mKIAA0207
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>MR208633 ORF sequence  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGAACAACGATATTAACCTCGTCCGTGGAAAGCCTTAACCTCAGCTTGCAACATGCAGTCTGATACTGATA  
 CTGCCACCACTTCTTGAGGATGGCCAGCATGCCAGCAACAGGGAGCAGCATCTAGCTCCCGGGACAGCC  
 ACAGGCGTCCCGAGGCAGAAAATGCAACGCTCGCAGCCTGTGCACATTCTCAGGCGCCTTCAGGAGGAA  
 GACCAGCAGTTAAGAACTGCATCTCTCCGGCCATCCCCAACCCATTTCCGGAGCTCACTGGTGGCGCC  
 CTGGGAGCCCTCCTTCGGTTGCTCCTAGCTCCTTACCTCCTCCTCGAGCCAGCCACCTGCCAAGCATGA  
 TGTCAAAGTCTTTAGTGAAGATGGGACCAGCAAAGTGGTGGAGATTCTAACCGACATGACAGCCAGGGAC  
 CTGTGCCAGCTGTGGTTACAAAAGTCACTGTGTGGATGACAACAGCTGGACTCTGGTGGAAACACCACC  
 CACAACCTGGGATTAGAGAGGTGCCTGGAGGACCATGAGATCGTGGTCCAAGTGGAGAGTACCATGCCAAG  
 TGAGAGCAAATCTTATTCAGAAAGAATTATGCGAAGTACGAGTCTTTAAGAATCCAGTGAACCTCTTC  
 CCGGATCAGATGGTCAATTTGGTGCAGCAGTCCAACGGTGGCCAGGCGCAGCTTCTGCAGAATTTCTGA  
 ACACCAGCAGCTGCCCTGAGATCCAGGGGTTCTTGCAAGTGAAGAGGTAGGACGCAAGTCTTGGAAAGAA  
 GCTGTATGTGTGCCTGCGCAGATCTGGCCTCTATTACTCCACCAAGGGGACTTCAAAGAACCAGACAC  
 CTGCAGCTGTGGCTGACCTGGAAGAAAGCAGCATCTTCTACCTGATTGCTGGAAGAAGCAGTACAACG  
 CGCCGAATGAACATGGGATGTGCATCAAGCAAACAAGCGAAGACCGAGATGAAGGAGCTTCGTCTGCT  
 CTGTGCCGAAGATGAGCAGATCCGTAATGCTGGATGACTGCCTCAGACTGCTCAAGTACGGAATGCTC  
 CTGTACCAAACTATCGCATCCCACAGAGGAAGGGTCTGCCCCCTCTTCAACGCACCTATGCCGAGTG  
 TTTCTGAGAATTCTTTGTGGCCATGGATTTTTCTGACAAAATCGGAAGAGTGATCGATAACCCGGCTGA  
 AGCCCAGAGTGCCTGGAAGAGGGCCATGCCTGGCGTAAGCGGAGCACCGGATGAATATCCTAAGC  
 AGCCAAAGCCCACTGCATCCTTCTACCCTGAATGCAAGTATTACAGGACTCAGCATTGGTTCATGGAC  
 GTATCTCCCGCAGGAGTCTCACAGGATCATCAAGCAACAAGGTCTCGTGGACGGGCTGTTCTCCTTCG  
 TGACAGCCAGAGTAATCCAAAGGCGTTCGTAAGTACTGACACTGTGCCATCACCAGAAGATTAATACTCCAG  
 ATCTTACCTTGCAGGATGATGGGCAGACCTTCTTCACTCTGGATGATGGGAACACCAAGTTCTCCGATC  
 TGATCCAGCTGGTCGACTTCTACCAGCTCAACAAGGTGTTCTGCCCTGCAAGCTGAAACACCCTGCAT  
 CCGCGTGGCCTTA

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:**

>MR208633 protein sequence  
 Red=Cloning site Green=Tags(s)

MNNDINSSVESLNSACNMQSDTDTAPLLEDGQHASNQGAASSSRGQPQASPRQKMQRSQPVHILRRLQEE  
 DQQLRTASLPAIPNPFPELTGAAPGSPSSVAPSSLPSPPSQPPAKHDKVVFSEDGTSKVVEILTDMTARD  
 LCQLLVYKSHCVDDNSWTLVEHHPQLGLERCLEDEHIVVQVESTMPSESKFLFRKNYAKYEFFKNPVNFF  
 PDQMWNWCQQSNGGQAQLLQNFLNTSSCPEIQGFLQVKEVGRKSWKKLYVCLRRSGLYYSTKGSKEPRH  
 LQLLADLEESSIFYLIAGKKQYNAPNEHGMCIKPNKAKTEMKELRLLCAEDEQIRTCWMTAFRLLKYGML  
 LYQNYRIPQRKGLPPFNAPMRSVSENSLVAMDFSGQIGRVIDNPAAEQSAALEEGHAWRKRSTRMNILS  
 SQSPLHPSTLNAVIRHTQHWFHGRISREESHRIKQQLVDGLFLLRDSQSNPKAFVLTCHHQKIKNFQ  
 ILPCEDDGQTFFTLDDGNTKFSDLIQLVDFYQLNKGVLPCCLKKHHHCIRVAL

**TR**TRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:**

Sgfl-MluI

**Cloning Scheme:**


**ACCN:** NM\_001177629

**ORF Size:** 1626 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001177629.1](#), [NP\\_001171100.1](#)

**RefSeq Size:** 4764 bp

**RefSeq ORF:** 1626 bp

**Locus ID:** 14783


**UniProt ID:** [Q60760](#)

**Cytogenetics:** 11 7.15 cM

**MW:** 61.2 kDa

**Gene Summary:** Adapter protein which modulates coupling of a number of cell surface receptor kinases with specific signaling pathways. Binds to, and suppress signals from, activated receptors tyrosine kinases, including the insulin (INSR) and insulin-like growth factor (IGF1R) receptors. The inhibitory effect can be achieved by 2 mechanisms: interference with the signaling pathway and increased receptor degradation. Delays and reduces AKT1 phosphorylation in response to insulin stimulation. Blocks association between INSR and IRS1 and IRS2 and prevents insulin-stimulated IRS1 and IRS2 tyrosine phosphorylation. Recruits NEDD4 to IGF1R, leading to IGF1R ubiquitination, increased internalization and degradation by both the proteasomal and lysosomal pathways. A similar role in the mediation of ubiquitination has also been suggested with INSR. Negatively regulates Wnt signaling by interacting with LRP6 intracellular portion and interfering with the binding of AXIN1 to LRP6. Positive regulator of the KDR/VEGFR-2 signaling pathway. May inhibit NEDD4-mediated degradation of KDR/VEGFR-2. [UniProtKB/Swiss-Prot Funktion]

**Product images:**



Circular map for MR208633