

### Product datasheet for MR208680L3

# OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### Mtmr9 (NM\_177594) Mouse Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Mtmr9 (NM\_177594) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: Mtmr9

**Synonyms:** 9430075G12Rik; AA516943; AF073881; LIP-STYX; mMTMH3; MTMR8

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR208680).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_177594

ORF Size: 1635 bp



#### Mtmr9 (NM\_177594) Mouse Tagged Lenti ORF Clone - MR208680L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

**RefSeq:** <u>NM 177594.1</u>, <u>NP 808262.1</u>

 RefSeq Size:
 2457 bp

 RefSeq ORF:
 1638 bp

 Locus ID:
 210376

 UniProt ID:
 Q9Z2D0

**Gene Summary:** 

Cytogenetics: 14 D1

Acts as an adapter for myotubularin-related phosphatases (PubMed:12890864). Increases lipid phosphatase MTMR6 catalytic activity, specifically towards phosphatidylinositol 3,5-bisphosphate, and MTMR6 binding affinity for phosphorylated phosphatidylinositols (By


similarity). Positively regulates lipid phosphatase MTMR7 catalytic activity

(PubMed:12890864). The formation of the MTMR6-MTMR9 complex, stabilizes both MTMR6 and MTMR9 protein levels (By similarity). Plays a role in the late stages of macropinocytosis possibly by regulating MTMR6-mediated dephosphorylation of phosphatidylinositol 3-phosphate in membrane ruffles (By similarity). Negatively regulates DNA damage-induced apoptosis, in part via its association with MTMR6 (By similarity). Does not bind mono-, di- and tri-phosphorylated phosphatidylinositols, phosphatidic acid and phosphatidylserine (By

similarity).[UniProtKB/Swiss-Prot Function]



# **Product images:**



Circular map for MR208680L3