

Product datasheet for MR208777L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Mettl16 (NM_026197) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Mettl16 (NM_026197) Mouse Tagged Lenti ORF Clone

Tag: mGFP Symbol: Mettl16

Synonyms: 2610100D03Rik; 2810013M15Rik; A830095F14Rik; Al846133; Mett10d

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(MR208777).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_026197

ORF Size: 1662 bp



Mettl16 (NM_026197) Mouse Tagged Lenti ORF Clone - MR208777L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 026197.1</u>

 RefSeq Size:
 2718 bp

 RefSeq ORF:
 1662 bp

 Locus ID:
 67493

 UniProt ID:
 09CQG2

Cytogenetics: 11 B5

Gene Summary:

subset of RNAs and is involved in S-adenosyl-L-methionine homeostasis by regulating expression of MAT2A transcripts (PubMed:29262316, PubMed:30197299). Able to N6-methylate a subset of mRNAs and U6 small nuclear RNAs (U6 snRNAs) (By similarity). In contrast to the METTL3-METTL14 heterodimer, only able to methylate a limited number of RNAs: requires both a 5'UACAGAGAA-3' nonamer sequence and a specific RNA structure (By similarity). Plays a key role in S-adenosyl-L-methionine homeostasis by mediating N6-methylation of MAT2A mRNAs, altering splicing and/or stability of MAT2A transcripts: in presence of S-adenosyl-L-methionine, binds the 3' UTR region of MAT2A mRNA and specifically N6-methylates the first hairpin of MAT2A mRNA, impairing MAT2A expression

RNA N6-methyltransferase that methylates adenosine residues at the N(6) position of a


preventing N6-methylation and promoting expression of MAT2A (PubMed:29262316). In addition to mRNAs, also able to mediate N6-methylation of U6 small nuclear RNA (U6 snRNA): specifically N6-methylates adenine in position 43 of U6 snRNAs (By similarity). Also able to bind various lncRNAs (By similarity). Specifically binds the 3'-end of the MALAT1 long non-coding RNA (By similarity) (PubMed:29262316, PubMed:30197299).[UniProtKB/Swiss-Prot

(PubMed:29262316, PubMed:30197299). In S-adenosyl-L-methionine-limiting conditions, binds the 3' UTR region of MAT2A mRNA but stalls due to the lack of a methyl donor,

Function]



Product images:



Circular map for MR208777L4