

Product datasheet for MR208856L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Ythdf1 (NM_173761) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Ythdf1 (NM_173761) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Ythdf1

Synonyms: 2210410K23Rik; 8030473O16

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_173761

 ORF Size:
 1680 bp

ORF Nucleotide

OTI Disclaimer:

Sequence:

The ORF insert of this clone is exactly the same as(MR208856).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 173761.3, NP 776122.1

 RefSeq Size:
 3199 bp

 RefSeq ORF:
 1680 bp

 Locus ID:
 228994

 UniProt ID:
 P59326

 Cytogenetics:
 2 H4





Gene Summary:

Specifically recognizes and binds N6-methyladenosine (m6A)-containing mRNAs, and promotes mRNA translation efficiency (PubMed:30401835). M6A is a modification present at internal sites of mRNAs and some non-coding RNAs and plays a role in the efficiency of mRNA splicing, processing and stability (PubMed:30401835). Acts as a regulator of mRNA translation efficiency: promotes ribosome loading to m6A-containing mRNAs and interacts with translation initiation factors eIF3 (EIF3A or EIF3B) to facilitate translation initiation (By similarity). Required to facilitate learning and memory formation in the hippocampus by enhancing protein synthesis upon neuronal stimulation: in response to neuronal stimulation, binds to m6A-containing neuronal mRNAs, promoting their translation, thereby contributing to learning and memory (PubMed:30401835). Acts as a regulator of axon guidance by binding to m6A-containing ROBO3 transcripts, thereby promoting their translation (PubMed:30843071). Acts as a negative regulator of antigen cross-presentation in myeloid dendritic cells (PubMed:30728504). Acts by binding and promoting translation of m6Acontaining transcripts encoding proteins involved in lysosomal degradation and phagosome maturation, leading to increased antigen degradation in myeloid dendritic cells (PubMed:30728504). In the context of tumorigenesis, negative regulation of antigen crosspresentation limits the anti-tumor response by reducing efficiency of tumor-antigen crosspresentation (PubMed:30728504).[UniProtKB/Swiss-Prot Function]