

## Product datasheet for MR208957L3

### Sgpl1 (NM\_009163) Mouse Tagged Lenti ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Sgpl1 (NM_009163) Mouse Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	Sgpl1
Synonyms:	AI428538; D10Xrf456; S1PL; Spl
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR208957).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF.


ACCN:	NM_009163
ORF Size:	1707 bp



[View online »](#)

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_009163.2</a>
<b>RefSeq Size:</b>	4133 bp
<b>RefSeq ORF:</b>	1707 bp
<b>Locus ID:</b>	20397
<b>UniProt ID:</b>	<a href="#">Q8R0X7</a>
<b>Cytogenetics:</b>	10 32.14 cM
<b>Gene Summary:</b>	Cleaves phosphorylated sphingoid bases (PSBs), such as sphingosine-1-phosphate, into fatty aldehydes and phosphoethanolamine (PubMed:9464245, PubMed:20097939). Elevates stress-induced ceramide production and apoptosis (PubMed:9464245). Required for global lipid homeostasis in liver and cholesterol homeostasis in fibroblasts (PubMed:20097939, PubMed:28262793). Involved in the regulation of pro-inflammatory response and neutrophil trafficking (PubMed:21173151). Modulates neuronal autophagy via phosphoethanolamine production which regulates accumulation of aggregate-prone proteins such as APP (PubMed:28521611). Seems to play a role in establishing neuronal contact sites and axonal maintenance (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR208957L3