

## **Product datasheet for MR208957L3**

## Sgpl1 (NM\_009163) Mouse Tagged Lenti ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Sgpl1 (NM\_009163) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Sgpl1

**Synonyms:** Al428538; D10Xrf456; S1PL; Spl

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR208957).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





 $<sup>\</sup>ensuremath{^*}$  The last codon before the Stop codon of the ORF.

**ACCN:** NM\_009163

ORF Size: 1704 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

#### Sgpl1 (NM\_009163) Mouse Tagged Lenti ORF Clone - MR208957L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

**RefSeq:** <u>NM 009163.2</u>

 RefSeq Size:
 4133 bp

 RefSeq ORF:
 1707 bp

 Locus ID:
 20397

 UniProt ID:
 Q8R0X7

Cytogenetics: 10 32.14 cM

**Gene Summary:** Cleaves phosphorylated sphingoid bases (PSBs), such as sphingosine-1-phosphate, into fatty

aldehydes and phosphoethanolamine (PubMed:9464245, PubMed:20097939). Elevates stress-induced ceramide production and apoptosis (PubMed:9464245). Required for global lipid homeostasis in liver and cholesterol homeostasis in fibroblasts (PubMed:20097939,

PubMed:28262793). Involved in the regulation of pro-inflammatory response and neutrophil trafficking (PubMed:21173151). Modulates neuronal autophagy via phosphoethanolamine


production which regulates accumulation of aggregate-prone proteins such as APP

(PubMed:28521611). Seems to play a role in establishing neuronal contact sites and axonal

maintenance (By similarity).[UniProtKB/Swiss-Prot Function]



# **Product images:**



Circular map for MR208957L3