

Product datasheet for MR209054L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Msn (NM_010833) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Msn (NM 010833) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Msn

Synonyms: C78546

Mammalian Cell Puro

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

1731 bp

Tag: Myc-DDK

ACCN: NM_010833

ORF Nucleotide

Sequence:

ORF Size:

The ORF insert of this clone is exactly the same as(MR209054).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 010833.2, NP 034963.2

 RefSeq Size:
 3840 bp

 RefSeq ORF:
 1734 bp

 Locus ID:
 17698

 UniProt ID:
 P26041

Cytogenetics: X C3





Gene Summary:

Ezrin-radixin-moesin (ERM) family protein that connects the actin cytoskeleton to the plasma membrane and thereby regulates the structure and function of specific domains of the cell cortex. Tethers actin filaments by oscillating between a resting and an activated state providing transient interactions between moesin and the actin cytoskeleton (By similarity). Once phosphorylated on its C-terminal threonine, moesin is activated leading to interaction with F-actin and cytoskeletal rearrangement (By similarity). These rearrangements regulate many cellular processes, including cell shape determination, membrane transport, and signal transduction (By similarity). The role of moesin is particularly important in immunity acting on both T and B-cells homeostasis and self-tolerance, regulating lymphocyte egress from lymphoid organs (PubMed:22875842). Modulates phagolysosomal biogenesis in macrophages (PubMed:28978692). Participates also in immunologic synapse formation (By similarity).[UniProtKB/Swiss-Prot Function]