

Product datasheet for MR209176L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Hdac9 (NM_024124) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Hdac9 (NM 024124) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Hdac9

Synonyms: AV022454; D030072B18Rik; HD7B; HD9; Hdac7b; HDRP; Mitr; mKIAA0744

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_024124

ORF Size: 1767 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(MR209176).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 024124.2, NP 077038.2

RefSeq Size: 4461 bp
RefSeq ORF: 1767 bp
Locus ID: 79221
UniProt ID: Q99N13
Cytogenetics: 12 A3







Gene Summary:

Devoided of intrinsic deacetylase activity, promotes the deacetylation of lysine residues on the N-terminal part of the core histones (H2A, H2B, H3 and H4) by recruiting HDAC1 and HDAC3. Histone deacetylation gives a tag for epigenetic repression and plays an important role in transcriptional regulation, cell cycle progression and developmental events. Represses MEF2-dependent transcription, inhibits skeletal myogenesis and may be involved in heart development. Protects neurons from apoptosis, both by inhibiting JUN phosphorylation by MAPK10 and by repressing JUN transcription via HDAC1 recruitment to JUN promoter. [UniProtKB/Swiss-Prot Function]