

Product datasheet for **MR209260**

Cc2d1a (NM_145970) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Tag:	Myc-DDK
Symbol:	Cc2d1a
Synonyms:	BC016188; Freud-1; Tape
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



ORF Nucleotide Sequence: >MR209260 representing NM_145970
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGCACAAGAGGAATGGACCCAGGCACCCCCGGGCCGAGGTGCTGCTACTGCCCGCCAGCTTGGTCTGC
TGGTTGACTTCTCCCAGACGGCCTGATGATCCCCGAGGATGGGATTAATGAGGAGGAGCTGGAGGCTGA
ATTCCTGGCTTTGGTGGGGGTGAGCCCCAGGCCCTAGAGAACTGAAAGGCCAAGGTCCCCTGCCAATG
GAAGCCATTGAGAAGATGGCCCGGCTCTGCATGAGAGACCTGGATGAGGACGAGGAGGGACAGACGAGG
ATGATGTGGAGGCTGATGAGGACCTGCTGGCAGAGCTAAATGAGGTCTTGGAGAAGAACAGAAGGCTGT
GGAGCCCTGATGCTGTGGCCAGCCGAAGCCTTCAGGCCCAATCCAGGAGTAGAGGCCACGCTGCAG
GAGAGGCTAACCTCTACCACTGCTGCACTGGAGAGTGCCAGGCAAGCTGGGGACAGTGCCAAGATGCGAC
GCTATGACCGGGGCTCAAGACGCTGGAACCTGCTGGTCTCTGCAAAGAAGGGCAACATCATCAATGA
AGCAGACATTCCACCACCTGTGGCATCGGGGAAGGGAGCAGCAGCTGGGCACAGCCACACCAAGCTACT
TCCCAGTTGGCTTCTGTAAGCCCGCCAGCCCGAGAGTCCAGCGGCACCTTGGAGGCCCATCTACCACTA
CACCCACCTCTGCTAAGCCCCAGCTACCCCGAGATCCCTGCAGCCCCCTAGCCCGGTTGCAGAGCCTCCA
GCACGAGTACAACTGGCTGCCCTTCGTGCCAAGCATCAGGATGACACTGCTACAGCCACAGACACTTG
AGAATAGTAAGAGCTTTGACCCTGTCTTGGAGGCCCTGAGCCGTGGGGAAGTGGTGGACCTGTCCCGCC
TGCCCCCTCCCCCTGACCAGCTGTCCCGAGAGCCCCCTTGCCAGCTGCCCAACCTTTGACCTCTGCCTC
AACACTCACAGGCCAGAGGTTCCCAACCCCGAGGAACCTCCTGGAGGCTCTGGAACAGCGAATGGAG
CGGTACCATGTGGTGCAGCCAGGCCAAGGCCAAGGGTGACCAGCGGAAGGCACGCATGCATGAACGAA
TTGTCAAGCAATACCAAGACGCCATTCTGCCCCACAAGGCAGGCCGAGCTGTGGATGTGGCGGAGCTGCC
AGTGCCCCCAGGCTTCCCCCAATGCAGGGTTTGGAGTCTGCAGAGCCCTCTCAACAGAGCCTAGTGGGT
GTCCTGGAAGTGCATGAGGCTTGCCAACACGACGAAGGCTCGGATGACGAAGAGGAGGAGACTCCTA
AGAAGCAGAATACCCCTGCTGCCTCCACAACCCAGCTGAAGTCCTCGCCCTCCAAGCACCTCCATCAGG
ACCAGCCCCAGCGGCAAGCTGCCCAAGGGCACATCCAACAGAGCCCAGCAGCAGCTGGCCTTCCTG
GAGGGCCGTAAAGAAGCAGCTCCTGCAGGCCGCGCTGCGTGCCAAGCAAAAGAAGCAGCTAGAAGGGCCCA
AGATGCACCTGCGCCAGGCCAAGGGCTAGAGCCCATGCTAGAGGCTCTCGCAATGGAAGTGCCTGTGGA
CATTGCCAAGGTGCCACCTGCTCCTGTCAACAAGGACGACTTTGTGCTGGTGCAGCGGCTGGCCAGGC
TTGTCTCAGGAAGCTGTGCGTGCATGAGGAACTTACCAAGCTCCTGAGACAGCAACATGAAATGTGTC
TAAACCACTCCACACAGTTACCCACCTGGGCAACATTGCTGAAACCATTAAAGTTCGAGAAGCTGGCAGA
AGACTGTAAGCGGAGCATGGACACCTTAAACAAGCCTTCGCCCCGAGTCTGCCACACCCCGAGCCCGC
TTTGAGCAGAGGACCTTCAGTGTCAAGGTCTTCCGGACTTGAGCAACAGTGACATGCTCCTGTTTA
TCGTGAAGGGCATCAACTTGCCACACCCACAGGGCTGTCCCCAGTGACCTGGATGCCTTTGTCCGCTT
TGACTTCCCTTATCCCAATGTGGAAGAAGCTCAGAAAGACAAGACCAAGTGATCAAAAAACACAGACTCC
CCTGAATTTAAGGAGCAGTTCAAACCTCTGCATCAACCGTGGCCACCGTGGCTTCCGAAGGGCCATCCAAA
CCAAGGGCATCAAGTTCGAAGTGGTCCACAAGGGGGGCTGTTCAAGACGGACAGGGTGCTAGGTACAGC
CCAGCTGAAGCTGGTACGTTGGAACAGCTTGTGAAGTCCACGAGATCCTGGAGGTTTGGATGGACGC
CGACCCACGGGGGGAGGCTTGAAGTGATGGTTCGCATCCGGGAGCCACTGACAGCCAGCAGTTGGA
CTACAAGTGAAGGTGGCTGGTCATTGATCACATCCCAGCAGCTATGCCCACTGTCACTGGGCCAAAGC
AAAGGCTCCTCTCATACCGGCTCTTCAAGGGAAGCAGGCAACAGATCAGCACGGCCCTGCATAGCCTT
AGCGTGTGGCCTTTGACCAAGAGCGGCTAGAAAGGAAGATCCTGGCCCTGAGGCAGGCACGCCGCGCTG
TGCCCTCCAGAAGTGGCCAGCAGTACCAGGACGTAGTACAGCGTAGCCAATGGCAGAGGGCACAGCTGGA
GCAGGGGGGTGCTGCCCTCCGAGGGAGTATGCAAGCCATCTGGAGCGCCAGCTGCACCTCTATACAGAG
GCTGCCCGGCGCTGGGCTACGATGGAAGCAGGAGGCTGCAAGGAGGCATTGTATCGGCGGAACCTGG
TGGAGAGCGAGCTGCAGCGACTCCGACG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

```
>MR209260 representing NM_145970
```

Red=Cloning site Green=Tags(s)

MHKRNGQPAPPGRGAVTARQLGLLVDFSPDGLMIPEDGINEEELEAEFLALVGGQPQALEKLKGQGLPLM
EAIEKMARLCMRDLDEDEEGTDEDDVEADELLAELNEVLGEEQKAVEPLMPVAQPKPSGPNPGEATLQ
ERLTLYQSALESARQAGDSAKMRRYDRGLKLTLENLLVSAKKGNIINEADIPPPVASGKGAAGHSHTQA
SQLASVSPPAPESSGTLAPSTTTPTSAPKQLPPDPCPLARLQSLQHEYKLAALRAKHQDDTATATRHL
RIAKSFDPVLEALSGELVDLSRLPPPPDQLSPEPPLPAAQPLTASLTTRPEVPQPPRNLLEALEQRME
RYHVAAQAQAKAGDQRKARMHERIVKQYQDAIRAHKAGRAVDVAPLPPVGPFPMQQLDESAPESQSLVG
VLETAMRLANDEHSGSDEEEETPKKQNTPAASTTQLKSSPKAPSGGPAPAGKAAPKGTNSRAQQQLAFL
EGRKKQLLQAALRAKQKNDVEGAKMHLRQAKGLEPMLASRNGLPVDIAKVPPAPVKNDDFVLVQRPGPG
LSQEAVRRYGELTKLLRQQHEMCLNHSTQFTHLGNIETIKFEKLAEDCKRSMDTLKQAFARSLPTPAAR
FEQRTFSVIKVFPDLSNSMMLFIVKGINLPTPTGLSPSDDLDAFVRFDFFYPNVEEAQKDKTSVIKNTDS
PEFKEQFKLCINRGHRGFRRAIQTKGTFEVVHKGGFKTDRVLGTALKLGTLETACEVHEILEVL DGR
RPTGGRLEVMVRIREPLTAQQLETTTERWLVIDHIPAAMPTVTGPKAKAPLIPASSREAGNRSARPLHSL
SVLAFDQERLERKALIAQRAPPVPPEVAQQYVQVQVRSQWQRAQLEQGGAAALREYASHLERQLHFYTE
AARLLGYDGSREKAAEALYRRNLVESELORRR

TRTRPLEOKLISEEDLAANDILDYKDDDDKV


Chromatograms:

https://cdn.origene.com/chromatograms/mm9081_b10.zip

Restriction Sites:

Sgfl-MluI

Cloning Scheme:




ACCN:

NM_145970

ORF Size:	2829 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_145970.2
RefSeq Size:	3349 bp
RefSeq ORF:	2832 bp
Locus ID:	212139
UniProt ID:	Q8K1A6
Cytogenetics:	8 C2
MW:	103.7 kDa
Gene Summary:	Transcription factor that binds specifically to the DRE (dual repressor element) and represses HTR1A gene transcription in neuronal cells. The combination of calcium and ATP specifically inactivates the binding with FRE. May play a role in the altered regulation of HTR1A associated with anxiety and major depression. Mediates HDAC-independent repression of HTR1A promoter in neuronal cell. Performs essential function in controlling functional maturation of synapses. [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR209260