

# **Product datasheet for MR209274L3V**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Ythdf3 (NM\_172677) Mouse Tagged ORF Clone Lentiviral Particle

#### **Product data:**

Product Type: Lentiviral Particles

**Product Name:** Ythdf3 (NM\_172677) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Ythdf3

Synonyms: 9130022A11Rik

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

NM 172677

Tag: Myc-DDK

ORF Size: 1788 bp

**ORF Nucleotide** 

ACCN:

Sequence:

The ORF insert of this clone is exactly the same as(MR209274).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 172677.3

RefSeq Size: 5190 bp
RefSeq ORF: 1791 bp
Locus ID: 229096
UniProt ID: Q8BYK6
Cytogenetics: 3 A1





#### **Gene Summary:**

Specifically recognizes and binds N6-methyladenosine (m6A)-containing RNAs and promotes RNA translation efficiency (By similarity). M6A is a modification present at internal sites of mRNAs and some non-coding RNAs and plays a role in the efficiency of mRNA splicing, processing and stability (By similarity). Shares m6A-containing mRNAs targets with YTHDF1 and YTHDF2, and regulates different processes depending on the context (By similarity). Facilitates the translation of targeted mRNAs in cooperation with YTHDF1 by binding to m6Acontaining mRNAs and interacting with 40S and 60S ribosome subunits (By similarity). Acts as a negative regulator of type I interferon response by down-regulating interferon-stimulated genes (ISGs) expression: acts by binding to FOXO3 mRNAs and promoting their translation (PubMed:30591559). Binds to FOXO3 mRNAs independently of METTL3-mediated m6A modification (PubMed:30591559). Can also act as a regulator of mRNA stability in cooperation with YTHDF2 by binding to m6A-containing mRNA and promoting their degradation (By similarity). Recognizes and binds m6A-containing circular RNAs (circRNAs) and promotes their translation (By similarity). circRNAs are generated through back-splicing of pre-mRNAs, a non-canonical splicing process promoted by dsRNA structures across circularizing exons (By similarity).[UniProtKB/Swiss-Prot Function]