

## Product datasheet for MR209375L3

## Gaint11 (NM\_144908) Mouse Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Tag: Myc-DDK

Symbol: Galnt11

**Synonyms:** A430075I06Rik; AI648252; E430002F06Rik

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide Sequence: The ORF insert of this clone is exactly the same as(MR209375).

Restriction Sites: Sgfl-Mlul

**Cloning Scheme:** 





st The last codon before the Stop codon of the ORF

**ACCN:** NM\_144908

ORF Size: 1824 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

EU: info-de@origene.com CN: techsupport@origene.cn



## Gaint11 (NM\_144908) Mouse Tagged Lenti ORF Clone | MR209375L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

**RefSeq:** <u>NM\_144908.3</u>

RefSeq Size: 2541 bp

RefSeq ORF: 1827 bp

**Locus ID:** 231050

UniProt ID: Q921L8

Cytogenetics: 5 A3

Gene Summary: Polypeptide N-acetylgalactosaminyltransferase that catalyzes the initiation of protein O-


linked glycosylation and is involved in left/right asymmetry by mediating O-glycosylation of NOTCH1. O-glycosylation of NOTCH1 promotes activation of NOTCH1, modulating the balance between motile and immotile (sensory) cilia at the left-right organiser (LRO). Polypeptide N-acetylgalactosaminyltransferases catalyze the transfer of an N-acetyl-D-galactosamine residue to a serine or threonine residue on the protein receptor. Displays the same enzyme

activity toward MUC1, MUC4, and EA2 than GALNT1. Not involved in glycosylation of

erythropoietin (EPO) (By similarity).[UniProtKB/Swiss-Prot Function]



## **Product images:**



Circular map for MR209375L3