

Product datasheet for MR209436L4

Lmnb2 (NM_010722) Mouse Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Lmnb2 (NM_010722) Mouse Tagged Lenti ORF Clone
Tag:	mGFP
Symbol:	Lmnb2
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR209436).
Restriction Sites:	Sgfl-RsrII
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.


ACCN:	NM_010722
ORF Size:	1788 bp



[View online »](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_010722.5 , NP_034852.3
RefSeq Size:	3389 bp
RefSeq ORF:	1848 bp
Locus ID:	16907
UniProt ID:	P21619
Cytogenetics:	10 39.72 cM
Gene Summary:	This gene encodes a protein component of the nuclear lamina, which provides a structural framework for the nuclear envelope. Defects in this gene were found to cause abnormalities in the shape of neurons. This locus represents one of two B-type lamin genes that may be partially, but not entirely, functionally redundant in neuronal development. Loss of both B-type lamin genes in keratinocytes results in ichthyosis and a skin barrier defect leading to dehydration. Alternative transcriptional initiation and splicing results in multiple transcript variants and protein isoforms, including an isoform with a shorter N-terminal rod domain that may function in nuclear envelope remodeling during spermatogenesis. A related pseudogene is found on chromosome 5. [provided by RefSeq, Sep 2017]

Product images:



Circular map for MR209436L4