

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for MR209600L4V

Crtc1 (NM_001004062) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Crtc1 (NM_001004062) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Crtc1
Synonyms:	Al413414; Mect1; mKlAA0616; R74955; TORC1
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_001004062
ORF Size:	1893 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR209600).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001004062.2, NP 001004062.1</u>
RefSeq Size:	5674 bp
RefSeq ORF:	1893 bp
Locus ID:	382056
UniProt ID:	<u>Q68ED7</u>
Cytogenetics:	8 B3.3



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Crtc1 (NM_001004062) Mouse Tagged ORF Clone Lentiviral Particle - MR209600L4V

Gene Summary: Transcriptional coactivator for CREB1 which activates transcription through both consensus and variant cAMP response element (CRE) sites (PubMed:29211348). Acts as a coactivator, in the SIK/TORC signaling pathway, being active when dephosphorylated (PubMed:29211348). Acts independently of CREB1 'Ser-133' phosphorylation. Enhances the interaction of CREB1 with TAF4. Regulates the expression of specific CREB-activated genes such as the steroidogenic gene, StAR. Potent coactivator of PGC1alpha and inducer of mitochondrial biogenesis in muscle cells (By similarity). In the hippocampus, involved in late-phase longterm potentiation (L-LTP) maintenance at the Schaffer collateral-CA1 synapses. May be required for dendritic growth of developing cortical neurons. In concert with SIK1, regulates the light-induced entrainment of the circadian clock. In response to light stimulus, coactivates the CREB-mediated transcription of PER1 which plays an important role in the photic entrainment of the circadian clock.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US