

Product datasheet for MR209706L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Ivns1abp (NM 054102) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: lvns1abp (NM_054102) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Ivns1abp

1190004M08Rik; 1700126I16Rik; AA960440; HSPC068; mKIAA0850; ND1; Nd1-L; Nd1-S; NS-1; Synonyms:

NS1-BP

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Myc-DDK Tag: ACCN: NM 054102 ORF Size: 1926 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(MR209706).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 054102.2, NP 473443.2

RefSeq Size: 3513 bp RefSeq ORF: 1929 bp Locus ID: 117198 **UniProt ID:** Q920Q8 Cytogenetics: 1 G1





Gene Summary:

Involved in many cell functions, including pre-mRNA splicing, the aryl hydrocarbon receptor (AHR) pathway, F-actin organization and protein ubiquitination. Plays a role in the dynamic organization of the actin skeleton as a stabilizer of actin filaments by association with F-actin through Kelch repeats (PubMed:12213805, PubMed:16317045). Protects cells from cell death induced by actin destabilization (PubMed:16952015). Functions as modifier of the AHR/Aryl hydrocarbon receptor pathway increasing the concentration of AHR available to activate transcription (By similarity). In addition, functions as a negative regulator of BCR(KLHL20) E3 ubiquitin ligase complex to prevent ubiquitin-mediated proteolysis of PML and DAPK1, two tumor suppressors (By similarity). Inhibits pre-mRNA splicing (in vitro) (By similarity). [UniProtKB/Swiss-Prot Function]