

Product datasheet for MR209915

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Tcf4 (NM_013685) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Tcf4 (NM_013685) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Tcf4

Synonyms: 5730422P05Rik; ASP-I2; bHLHb19; E2-2; E2.2; ITF-2; ITF-2b; ITF2; ME2; MITF-2A; MITF-2B; SEF-2;

SEF2

Mammalian Cell

Selection:

Neomycin


Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Restriction Sites: Sgfl-Mlul

Cloning Scheme:

Cloning sites used for ORF Shuttling:





 $[\]star$ The last codon before the Stop codon of the ORF

ACCN: NM_013685 **ORF Size:** 2010 bp





OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customercom or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: NM 013685.1, NM 013685.2, NP 038713.1

72.1 kDa

 RefSeq Size:
 7462 bp

 RefSeq ORF:
 2013 bp

 Locus ID:
 21413

 UniProt ID:
 Q60722

 Cytogenetics:
 18 E2

Gene Summary:

MW:


Transcription factor that binds to the immunoglobulin enhancer Mu-E5/KE5-motif. Involved in the initiation of neuronal differentiation. Activates transcription by binding to the E box (5'-CANNTG-3'). Isoform 2 inhibits MYOD1 activation of the cardiac alpha-actin promoter. Binds

to the E-box present in the somatostatin receptor 2 initiator element (SSTR2-INR) to activate transcription. May have a regulatory function in developmental processes as well as during

neuronal plasticity.[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR209915