

Product datasheet for **MR210030**

Masp2 (NM_001003893) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Masp2 (NM_001003893) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Masp2
Synonyms:	MAp19; MASP-2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>MR210030 ORF sequence
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTGCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGAGGCTACTCATCTTCTGGGTCTGCTGTGGAGTTTGGTGGCCACACTTCTGGGTTCAAAGTGGCCTG
AACCTGTATTCGGGCGCCTGGTGTCCCCTGGCTTCCCAGAGAAGTATGCTGACCATCAAGATCGATCCTG
GACACTGACTGCACCCCCTGGCTACCGCCTGCGCCTCTACTTCACCCACTTTGACCTGGAACCTCTTTAC
CGCTGCGAGTATGACTTTGTCAAGTTGAGCTCAGGGACCAAGGTGCTGGCCACACTGTGTGGCAGGAGA
GTACAGACACTGAGCAGGCACCTGGCAATGACACCTTCTACTCACTGGTCCCAGCCTAAAGTCACTT
CCACTCCGACTACTCCAATGAGAAGCCGTTACAGGGTTTGGGCCTTCTATGCAGCGGAGGATGTGGAT
GAATGCAGAGTGTCTCTGGGAGACTCAGTCCCTTGTGACCATTATTGCCACAACACTTTGGGCGGCTACT
ATTGCTCTGCAGAGCGGCTACGTTCTCCACCAGAACAAGCACACGTGCTCAGCCCTTTGTTCAAGCCA
GGTGTTCACAGGAAGATCTGGGTATCTCAGTAGCCCTGAGTACCCACAGCCATACCCCAAGCTCTCCAGC
TGACCTACAGCATCCGCTGGAGGACGGCTTCACTGTCATCCTGGACTTCGTGGAGTCTTCGATGTGG
AGACGCACCCTGAAGCCAGTGCCTTATGACTCCCTCAAGATCAAACAGACAAGGGGGAACACGGCCC
ATTTTGTGGGAAGACGCTGCCTCCCAGGATTGAACTGACAGCCACAAGGTGACCATCACCTTTGCCACT
GACGAGTCGGGAACACACAGGCTGGAAGATACACTACACAAGCACAGCACGGCCCTGCCTGATCCAA
CGGCGCCACCTAATGGCAGCATTACCTGTGCAAGCCATATATGCTGAAGGACAGGTTTTCTGTCTT
CTGCAAGACAGGCTTCGAGCTTCTGCAAGTTCTGTCCCCTGAAATCATTCACTGCTGTCTGTGAGAAA
GATGGATCTTGGGACCGCCGATGCCAGAGTGCAGCATTATTGATTGTGGCCCTCCTGATGACCTACCCA
ATGGCCATGTGGACTATATCACAGGCCCTGAAGTGAAGTACTACCTACAAAGCTGTGATTCACTACAGCTGTGA
AGAGACTTTCTACACAATGAGCAGCAATGGTAAATATGTGTGTGAGGCTGATGGATTCTGGACGAGCTCC
AAAGGAGAAAACTCCCCCGTTTGTGAGCCTGTTTGTGGGCTGTCCACACACACTATAGGAGGACGCA
TAGTTGGAGGGCAGCCTGCAAAGCCTGGTACTTTCCTTGGCAAGTCTTGTGCTGGGTCAAACACTACAGC
AGCAGCAGGTGCACTTATACATGACAATTGGGTCTAACAGCCGCTCATGCTGTATATGAGAAAAGAAATG
GCAGCGTCTCCCTGAACATCCGAATGGGCATCCTCAAAGGCTCTCACCTCATTACACTCAAGCCTGGC
CCGAGGAAATCTTATACATGAAGGCTACACTCACGGTGTGTTTTGACAATGATATAGCATTGATTAA
ACTCAAGAACAAGTACAATCAACGGAAGCATCATGCCTGTTTGCCTACCGGAAAAGAAGCTGCATCC
TTAATGAGAACAGACTTCACTGGAAGTGTGGCTGGCTGGGGTTAACCCAGAAGGGGCTTCTTGCTAGAA
ACCTAATGTTTGTGGACATACCAATTGCTGACCACAAAATGTACCGCGTGTATGAAAAGCTCTATCC
AGGAGTAAGAGTAAGCGTAACATGCTCTGTGCTGGCTTAGAGACTGGTGGCAAGGACAGCTGCAGAGGT
GACAGTGGGGGGCATTAGTGTCTTAGATAATGAGACACAGCGATGGTTTGTGGGAGGAATAGTTTCTT
GGGTTCCATTAATTGTGGGGCGCAGACCAGTATGGGGTCTACAAAAAGTCACTCAACTATATCCCTG
GATTGAGAACATAATAAGTAATTTT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR210030 protein sequence
 Red=Cloning site Green=Tags(s)


MRLLI FLGLLWSLVATLLGSKWPEPVFGRLLVSPGFPEKYADHQDRSWTLTAPPGYRLRLYFTHFDLELSY
 RCEYDFVKLSSGKVLATLCGQESTDTEQAPGNDTFYSLGPSLKVTFHSDYSNEKPF TGFEAFYAAEDVD
 ECRVSLGDSVPCDHYCHNYLGGYYCSCRAGYVLHQNKHTCSALCSGQVFTGRSGYLSPEYYPQYPKLSS
 CTYSIRLEDGFSVILDFVESFDVETHPEAQCPYDSLKIQTDKGEHGPFCGKTLPPRIETDSHKVITIFAT
 DESGNHTGWKIHYTSTARPCDPTAPPNGSISPVQAIYVLKDRFSVFCKTGFE LLQGSVPLKSFTAVCQK
 DGSWDRMPPECSIIDCGPPDDL PNGHVDYITGPEVTTYKAVIQYSCEETFYTMSSNGKYVCEADGFWTSS
 KGEKLPVCEPVCGLSTHTIGGRIVGGQPAKPGDFPWQVLLLGQTTAAAGAL IHDNWLTA AHAVYEKRM
 AASSLNIRMGILKRLSPHYTQAWPEEIFIHEGYTHGAGFDNDIALIKLKNKVTINGSIMPVCLPRKEAAS
 LMRTDFTGTVAGWGLTQKGLLARNLMFVDIPIADHQKCTAVYEKLYPGVRV SANMLCAGLETGGKDCRSG
 DSGGALVFLDNETQRWFVGGIVSWG SINCGAADQYGVYTKVINYIPWIENIISNF

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:



ACCN: NM_001003893

ORF Size: 2058 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001003893.2](#), [NP_001003893.1](#)

RefSeq Size: 3061 bp

RefSeq ORF: 2058 bp

Locus ID: 17175


UniProt ID: [Q91WP0](#)

Cytogenetics: 4 E2

MW: 75.5 kDa

Gene Summary: Serum protease that plays an important role in the activation of the complement system via mannose-binding lectin. After activation by auto-catalytic cleavage it cleaves C2 and C4, leading to their activation and to the formation of C3 convertase (By similarity).
[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR210030