

Product datasheet for MR210059L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Large2 (NM_172670) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Large2 (NM_172670) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Large2

Synonyms: 5730485C17Rik; Al891893; Gyltl1b; Largel; mKIAA4105

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

2070 bp

 Tag:
 Myc-DDK

 ACCN:
 NM_172670

ORF Nucleotide

Sequence:

ORF Size:

The ORF insert of this clone is exactly the same as(MR210059).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 172670.3</u>, <u>NP 766258.2</u>

RefSeq Size:2424 bpRefSeq ORF:2073 bpLocus ID:228366UniProt ID:Q5XPT3

Cytogenetics: 2 E1







Gene Summary:

Bifunctional glycosyltransferase with both xylosyltransferase and beta-1,3-glucuronyltransferase activities involved in the biosynthesis of the phosphorylated O-mannosyl trisaccharide (N-acetylgalactosamine-beta-3-N-acetylglucosamine-beta-4-(phosphate-6-)mannose), a carbohydrate structure present in alpha-dystroglycan (DAG1). Phosphorylated O-mannosyl trisaccharid is required for binding laminin G-like domain-containing extracellular proteins with high affinity. Elongates the glucuronyl-beta-1,4-xylose-beta disaccharide primer structure by adding repeating units [-3-Xylose-alpha-1,3-GlcA-beta-1-] to produce a heteropolysaccharide. Has a higher activity toward alpha-dystroglycan than LARGE (PubMed:15958417).[UniProtKB/Swiss-Prot Function]