

## Product datasheet for MR210076L4

### Rfx2 (NM\_009056) Mouse Tagged Lenti ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Rfx2 (NM_009056) Mouse Tagged Lenti ORF Clone
Tag:	mGFP
Symbol:	Rfx2
Synonyms:	5430432H19Rik
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR210076).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF.


ACCN:	NM_009056
ORF Size:	2076 bp



[View online »](#)

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>Note:</b>	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
<b>RefSeq:</b>	<a href="#">NM_009056.2</a> , <a href="#">NP_033082.1</a>
<b>RefSeq Size:</b>	3278 bp
<b>RefSeq ORF:</b>	2079 bp
<b>Locus ID:</b>	19725
<b>UniProt ID:</b>	<a href="#">P48379</a>
<b>Cytogenetics:</b>	17 29.5 cM
<b>Gene Summary:</b>	Transcription factor that acts as a key regulator of spermatogenesis (PubMed:26248850, PubMed:26162102, PubMed:26853561). Acts by regulating expression of genes required for the haploid phase during spermiogenesis, such as genes required for cilium assembly and function (PubMed:26162102, PubMed:26853561). Recognizes and binds the X-box, a regulatory motif with DNA sequence 5'-GTNRCC(0-3N)RGYAAC-3' present on promoters (PubMed:15229132, PubMed:26162102). Probably activates transcription of the testis-specific histone gene HIST1H1T (PubMed:15229132).[UniProtKB/Swiss-Prot Function]

## Product images:



Circular map for MR210076L4