

Product datasheet for MR210226L3

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

Yme1l1 (NM_013771) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Yme1l1 (NM_013771) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Yme1l1

Synonyms: Ftsh; FtsH1

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR210226).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_013771

ORF Size: 2148 bp



Yme1l1 (NM_013771) Mouse Tagged Lenti ORF Clone - MR210226L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 013771.2, NP 038799.1

 RefSeq Size:
 4571 bp

 RefSeq ORF:
 2148 bp

 Locus ID:
 27377

 UniProt ID:
 088967

 Cytogenetics:
 2 A3

Gene Summary: ATP-dependent metalloprotease that catalyzes the degradation of folded and unfolded


proteins with a suitable degron sequence in the mitochondrial intermembrane region (By similarity). Plays an important role in regulating mitochondrial morphology and function by cleaving OPA1 at position S2, giving rise to a form of OPA1 that promotes maintenance of normal mitochondrial structure (PubMed:17709429, PubMed:24616225, PubMed:26785494, PubMed:27495975). Ensures cell proliferation, maintains normal cristae morphology and complex I respiration activity, promotes antiapoptotic activity and protects mitochondria from the accumulation of oxidatively damaged membrane proteins (By similarity). Required for normal, constitutive degradation of PRELID1 (PubMed:26785494). Catalyzes the degradation of OMA1 in response to membrane depolarization. Required to control the accumulation of

nonassembled respiratory chain subunits (NDUFB6, OX4 and ND1) (By similarity).

[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR210226L3