

Product datasheet for MR210309L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Fchsd2 (NM_199012) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Fchsd2 (NM 199012) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Fchsd2

Synonyms: BC034086; mKIAA0769; R74866; Sh3md3

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 199012

ORF Size: 2181 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(MR210309).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 199012.1, NP 950177.1

RefSeq Size: 4432 bp
RefSeq ORF: 2295 bp
Locus ID: 207278
UniProt ID: Q3USJ8
Cytogenetics: 7 E2





Gene Summary:

Adapter protein that plays a role in endocytosis via clathrin-coated pits. Contributes to the internalization of cell surface receptors, such as integrin ITGB1 and transferrin receptor. Promotes endocytosis of EGFR in cancer cells, and thereby contributes to the down-regulation of EGFR signaling. Recruited to clathrin-coated pits during a mid-to-late stage of assembly, where it is required for normal progress from U-shaped intermediate stage pits to terminal, omega-shaped pits. Binds to membranes enriched in phosphatidylinositol 3,4-bisphosphate or phosphatidylinositol 3,4,5-trisphosphate (By similarity). When bound to membranes, promotes actin polymerization via its interaction with WAS and/or WASL which leads to the activation of the Arp2/3 complex (PubMed:23437151). Does not promote actin polymerisation in the absence of membranes (By similarity).[UniProtKB/Swiss-Prot Function]